


Summary results

BLOT-LINE ANA

Lot: 23291746
 Performed by: HARIPRIYA
 Evaluation time: 8/26/2022 6:48:48 PM

Borderline area from 8.00 to 10.00

Scan image(2 - 12):



Results(2 - 12):

	Sample no. 2	Sample no. 3	Sample no. 4	Sample no. 5	Sample no. 7	Sample no. 8	Sample no. 9	Sample no. 10	Sample no. 11	Sample no. 12
Description				Miss. BINDU SREE						
IgG Control	✓	✓	✓	✓	✓	✓	X	✓	✓	X
Jo-1	7.28[N]	1.82[N]	1.87[N]	2.33[N]	1.00[N]	0.98[N]	1.01[N]	0.50[N]	1.01[N]	1.52[N]
PL-7	0.47[N]	3.61[N]	1.41[N]	4.62[N]	0.50[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
PL-12	2.37[N]	3.17[N]	1.87[N]	0.47[N]	1.01[N]	0.49[N]	0.51[N]	0.00[N]	0.00[N]	0.51[N]
PmScl	2.83[N]	4.51[N]	3.72[N]	0.47[N]	1.01[N]	0.49[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
CENP-A	14.94[P]!	2.27[N]	1.41[N]	1.40[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
CENP-B	22.18[P]	2.27[N]	1.41[N]	1.40[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.02[N]	0.00[N]
Scl-70	11.51[P]	0.45[N]	1.88[N]	0.94[N]	1.01[N]	0.00[N]	0.00[N]	0.00[N]	0.51[N]	0.00[N]
Ro52	1.91[N]	6.28[N]	6.00[N]	3.24[N]	3.44[N]	1.95[N]	2.02[N]	0.00[N]	0.00[N]	0.52[N]
Ro60	0.96[N]	3.17[N]	18.70[P]	2.32[N]	1.00[N]	0.00[N]	0.00[N]	0.00[N]	0.51[N]	3.50[N]
La	0.96[N]	0.46[N]	4.19[N]	1.86[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
RNP-A	0.96[N]	1.81[N]	24.09[P]	1.39[N]	1.52[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
RNP-C	0.00[N]	1.80[N]	36.43[P]	1.83[N]	0.51[N]	0.00[N]	0.00[N]	0.00[N]	3.50[N]	0.00[N]
RNP-68	0.48[N]	1.80[N]	2.82[N]	0.46[N]	1.02[N]	0.49[N]	0.00[N]	0.50[N]	0.00[N]	0.51[N]
SmB	0.48[N]	3.58[N]	11.77[P]	3.67[N]	1.53[N]	1.47[N]	1.51[N]	0.50[N]	0.00[N]	0.00[N]
SmD	4.26[N]	4.03[N]	2.79[N]	1.39[N]	0.00[N]	0.00[N]	0.00[N]	0.50[N]	0.00[N]	0.00[N]
P0	0.00[N]	1.36[N]	1.39[N]	1.37[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
PCNA	11.55[P]!	9.72[B]	5.06[N]	4.14[N]	1.02[N]	0.49[N]	1.02[N]	0.00[N]	1.02[N]	0.00[N]
dsDNA	1.44[N]	3.58[N]	11.70[P]	5.04[N]	2.03[N]	0.98[N]	1.01[N]	1.49[N]	1.02[N]	1.52[N]
Histone	0.00[N]	1.80[N]	6.43[N]	1.39[N]	1.02[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
Nucleosom	0.48[N]	5.77[N]	6.43[N]	3.67[N]	2.53[N]	1.95[N]	1.01[N]	1.98[N]	2.02[N]	1.00[N]
DFS70	6.67[N]	1.78[N]	2.76[N]	0.91[N]	1.02[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
M2	0.00[N]	0.00[N]	0.46[N]	0.00[N]	0.00[N]	1.96[N]	1.02[N]	0.00[N]	0.00[N]	0.00[N]
ANA	Positive	Borderline	Positive	Negative	Negative	Negative	Negative	Negative	Negative	Negative

Check the assignment of bands marked [!] because of a possible interference with the strip background or unclear band interpretation

X - Conjugate control line was not found. Please check the possibility of substitution

Summary results


BLOT-LINE ANA

Lot: 23291746

Performed by: HARI PRIYA
Evaluation time: 8/26/2022 6:48:48 PM

Borderline area from 8.00 to 10.00

Scan image(13 - 17):



Results(13 - 17):

	Sample no. 13	Sample no. 14	Sample no. 15	Sample no. 16	Sample no. 17						
Description											
IgG Control	✓	✓	✓	✓	✓						
Jo-1	0.99[N]	0.98[N]	1.41[N]	5.21[N]	0.48[N]						
PL-7	0.00[N]	0.50[N]	0.94[N]	4.29[N]	0.96[N]						
PL-12	1.00[N]	0.00[N]	9.19[B]	3.01[N]	2.86[N]						
PmScl	1.00[N]	0.50[N]	22.12[P]	1.31[N]	2.39[N]						
CENP-A	0.00[N]	0.50[N]	3.75[N]	3.04[N]	0.94[N]						
CENP-B	0.00[N]	0.50[N]	1.87[N]	4.65[N]	1.90[N]						
Scl-70	0.00[N]	0.00[N]	1.87[N]	5.96[N]	23.02[P]						
Ro52	1.50[N]	2.46[N]	3.72[N]	0.43[N]	2.40[N]						
Ro60	1.00[N]	1.49[N]	0.47[N]	2.15[N]	1.44[N]						
La	0.00[N]	1.49[N]	1.41[N]	1.29[N]	0.96[N]						
RNP-A	0.51[N]	0.50[N]	3.26[N]	4.75[N]	0.96[N]						
RNP-C	0.00[N]	0.00[N]	0.47[N]	0.44[N]	0.96[N]						
RNP-68	0.51[N]	0.50[N]	5.07[N]	1.74[N]	4.70[N]						
SmB	2.00[N]	1.98[N]	0.93[N]	0.00[N]	0.48[N]						
SmD	0.51[N]	0.00[N]	0.00[N]	3.06[N]	0.48[N]						
P0	0.00[N]	0.00[N]	2.31[N]	4.37[N]	1.43[N]						
PCNA	0.00[N]	0.00[N]	1.40[N]	0.44[N]	1.94[N]						
dsDNA	1.00[N]	2.95[N]	10.39[P]	1.78[N]	0.49[N]						
Histone	0.00[N]	0.50[N]	0.93[N]	4.81[N]	0.49[N]						
Nucleosom	1.50[N]	1.99[N]	5.51[N]	3.57[N]	0.98[N]						
DFS70	0.00[N]	0.50[N]	1.40[N]	1.34[N]	2.43[N]						
M2	0.00[N]	0.50[N]	4.57[N]	3.56[N]	1.91[N]						
ANA	Negative	Negative	Positive	Negative	Positive						

X -- Conjugate control line was not found. Please check the possibility of substitution