

Summary results

BLOT-LINE ANA

				Summary results BLOT-LINE ANA							
Lot: 23586838 Performed by: VIJAYA Evaluation time: 10/3/2022 12:59:45 PM				Borderline area from 8.00 to 10.00							
Scan image(2 - 11):											
	Sample no. 2	Sample no. 3	Sample no. 4	Sample no. 5	Sample no. 6	Sample no. 7	Sample no. 8	Sample no. 9	Sample no. 10	Sample no. 11	
											
Results(2 - 11):											
	Sample no. 2	Sample no. 3	Sample no. 4	Sample no. 5	Sample no. 6	Sample no. 7	Sample no. 8	Sample no. 9	Sample no. 10	Sample no. 11	
Description						Mrs. SUNANDA THORAT					
IgG Control	✓	✓	✓	✓	✓	✓	✓	X	✓	✓	
Jo-1	6.29[N]	1.80[N]	0.93[N]	2.30[N]	0.97[N]	0.98[N]	0.95[N]	1.44[N]	0.96[N]	0.97[N]	
PL-7	1.37[N]	5.38[N]	1.86[N]	5.46[N]	0.00[N]	0.50[N]	0.48[N]	0.00[N]	0.00[N]	0.00[N]	
PL-12	2.33[N]	4.05[N]	1.86[N]	1.38[N]	0.49[N]	0.99[N]	0.00[N]	0.00[N]	0.00[N]	0.49[N]	
PmScl	0.47[N]	4.92[N]	3.24[N]	1.39[N]	0.49[N]	0.50[N]	0.00[N]	0.00[N]	0.00[N]	0.49[N]	
CENP-A	13.12[P]	2.70[N]	1.40[N]	2.31[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.48[N]	0.00[N]	
CENP-B	22.54[P]	1.80[N]	0.93[N]	2.31[N]	0.97[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.47[N]	
Scl-70	10.08[P]	1.80[N]	2.32[N]	1.84[N]	0.48[N]	0.49[N]	0.48[N]	0.00[N]	0.00[N]	0.00[N]	
Ro52	2.38[N]	6.24[N]	6.41[N]	7.21[N]	1.93[N]	2.91[N]	1.92[N]	1.93[N]	0.48[N]	0.00[N]	
Ro60	2.40[N]	3.59[N]	19.45[P]	3.65[N]	0.97[N]	0.98[N]	0.00[N]	0.00[N]	0.48[N]	0.00[N]	
La	1.92[N]	1.35[N]	2.79[N]	1.38[N]	1.93[N]	0.98[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	
RNP-A	0.96[N]	1.79[N]	26.04[P]	2.29[N]	34.41[P]	1.50[N]	0.48[N]	0.00[N]	0.00[N]	0.49[N]	
RNP-C	1.44[N]	1.79[N]	38.98[P]	2.74[N]	9.80[B]	0.51[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	
RNP-68	0.48[N]	1.34[N]	2.33[N]	1.82[N]	34.49[P]	0.00[N]	0.00[N]	0.49[N]	0.00[N]	0.00[N]	
SmB	0.00[N]	3.55[N]	12.10[P]	2.26[N]	1.46[N]	1.51[N]	1.44[N]	1.46[N]	0.48[N]	0.49[N]	
SmD	2.81[N]	4.42[N]	3.23[N]	0.46[N]	0.00[N]	0.51[N]	0.00[N]	0.49[N]	0.00[N]	0.00[N]	
P0	0.48[N]	0.89[N]	3.23[N]	1.37[N]	2.88[N]	0.51[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	
PCNA	3.75[N]	2.67[N]	5.49[N]	1.83[N]	0.97[N]	1.02[N]	0.48[N]	0.49[N]	0.00[N]	0.00[N]	
dsDNA	0.47[N]	3.99[N]	13.36[P]	4.53[N]	1.46[N]	2.02[N]	1.45[N]	0.97[N]	1.44[N]	0.98[N]	
Histone	0.00[N]	2.23[N]	5.46[N]	2.30[N]	0.97[N]	1.02[N]	0.49[N]	0.49[N]	0.00[N]	0.00[N]	
Nucleosom	2.35[N]	6.58[N]	9.43[B]	4.56[N]	1.44[N]	2.02[N]	1.92[N]	1.47[N]	1.92[N]	1.95[N]	
DFS70	7.02[N]	2.65[N]	5.01[N]	1.82[N]	0.49[N]	1.02[N]	0.00[N]	0.00[N]	0.48[N]	0.00[N]	
M2	0.00[N]	0.45[N]	1.37[N]	1.36[N]	0.49[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	
ANA	Positive	Negative	Positive	Negative	Positive	Negative	Negative	Negative	Negative	Negative	
Check the assignment of bands marked [!] because of a possible interference with the strip background or unclear band interpretation											
X - Conjugate control line was not found. Please check the possibility of substitution											

Summary results

BLOT-LINE ANA


Lot: 23586838

Performed by: VIJAYA

Evaluation time: 10/3/2022 12:59:45 PM

Borderline area from 8.00 to 10.00

Scan image(12 - 18):



Results(12 - 18):

	Sample no. 12	Sample no. 13	Sample no. 14	Sample no. 15	Sample no. 16	Sample no. 17	Sample no. 18			
Description										
IgG Control	X	✓	✓	✓	✓	✓	✓			
Jo-1	0.99[N]	0.98[N]	0.49[N]	1.39[N]	2.59[N]	0.95[N]	0.00[N]			
PL-7	0.50[N]	0.98[N]	0.49[N]	0.93[N]	2.57[N]	0.95[N]	1.39[N]			
PL-12	0.50[N]	0.49[N]	0.49[N]	9.51[B]	7.72[N]	2.36[N]	0.46[N]			
PmScl	0.51[N]	0.49[N]	0.00[N]	21.49[P]	3.90[N]	1.89[N]	1.85[N]			
CENP-A	0.00[N]	0.00[N]	0.49[N]	3.24[N]	1.31[N]	1.39[N]	2.78[N]			
CENP-B	0.00[N]	0.00[N]	0.00[N]	1.40[N]	0.00[N]	2.35[N]	1.86[N]			
Scl-70	0.00[N]	0.00[N]	0.49[N]	0.47[N]	0.00[N]	22.49[P]	1.85[N]			
Ro52	1.51[N]	1.48[N]	2.44[N]	1.84[N]	7.00[N]	2.37[N]	2.31[N]			
Ro60	3.92[N]	0.99[N]	0.49[N]	1.38[N]	4.62[N]	1.90[N]	1.86[N]			
La	0.50[N]	0.00[N]	0.49[N]	0.00[N]	0.00[N]	0.48[N]	1.40[N]			
RNP-A	0.00[N]	0.00[N]	0.49[N]	2.75[N]	2.56[N]	1.90[N]	0.93[N]			
RNP-C	0.00[N]	0.00[N]	0.00[N]	1.38[N]	4.26[N]	0.95[N]	0.93[N]			
RNP-68	0.50[N]	0.00[N]	0.00[N]	2.31[N]	2.14[N]	3.75[N]	0.93[N]			
SmB	2.94[N]	1.48[N]	1.96[N]	3.24[N]	0.00[N]	0.47[N]	0.93[N]			
SmD	0.00[N]	0.00[N]	0.00[N]	3.24[N]	0.00[N]	2.36[N]	1.39[N]			
P0	0.00[N]	0.50[N]	0.00[N]	1.38[N]	4.32[N]	0.95[N]	3.22[N]			
PCNA	0.00[N]	0.50[N]	0.49[N]	1.83[N]	1.74[N]	1.92[N]	4.15[N]			
dsDNA	0.99[N]	0.98[N]	2.92[N]	2.75[N]	2.18[N]	0.49[N]	4.16[N]			
Histone	0.00[N]	0.50[N]	0.00[N]	2.75[N]	1.73[N]	0.00[N]	3.25[N]			
Nucleosom	1.48[N]	1.48[N]	0.98[N]	3.20[N]	0.00[N]	0.97[N]	5.54[N]			
DFS70	0.00[N]	0.00[N]	0.00[N]	2.29[N]	1.31[N]	2.41[N]	1.41[N]			
M2	0.00[N]	0.00[N]	0.00[N]	0.91[N]	3.89[N]	3.33[N]	1.40[N]			
ANA	Negative	Negative	Negative	Positive	Negative	Positive	Negative			

Check the assignment of bands marked [!] because of a possible interference with the strip background or unclear band interpretation

X - - Conjugate control line was not found. Please check the possibility of substitution