

Summary results

BLOT-LINE ANA


Lot: 23146165

Performed by: VIJAYA

Evaluation time: 11/18/2022 4:10:44 PM

Borderline area from 8.00 to 10.00

Scan image(2 - 13):



Results(2 - 13):

	Sample no. 2	Sample no. 3	Sample no. 4	Sample no. 5	Sample no. 6	Sample no. 8	Sample no. 10	Sample no. 11	Sample no. 12	Sample no. 13
Description								BRAMAIAH		
IgG Control	√	√	√	√	√	√	√	√	X	√
Jo-1	0.46[N]	3.19[N]	0.94[N]	1.86[N]	0.48[N]	0.95[N]	0.49[N]	0.49[N]	1.51[N]	3.61[N]
PL-7	0.93[N]	3.21[N]	1.88[N]	5.96[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.51[N]	2.71[N]
PL-12	3.75[N]	4.56[N]	1.88[N]	0.47[N]	0.48[N]	0.48[N]	0.00[N]	0.50[N]	0.51[N]	3.58[N]
PmScl	0.00[N]	4.99[N]	3.27[N]	0.94[N]	0.00[N]	0.00[N]	0.00[N]	0.50[N]	0.00[N]	1.35[N]
CENP-A	12.36[P]!	1.82[N]	2.35[N]	1.87[N]	0.48[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	4.88[N]
CENP-B	17.62[P]	1.83[N]	0.94[N]	2.32[N]	0.48[N]	0.00[N]	0.00[N]	1.49[N]	0.51[N]	6.61[N]
Scl-70	8.41[B]	1.83[N]	0.47[N]	1.40[N]	1.44[N]	0.48[N]	0.00[N]	0.00[N]	0.51[N]	18.09[P]
Ro52	1.46[N]	5.42[N]	5.53[N]	2.32[N]	1.91[N]	1.91[N]	0.00[N]	0.00[N]	1.02[N]	1.40[N]
Ro60	1.46[N]	2.28[N]	16.52[P]	2.32[N]	0.48[N]	0.00[N]	0.00[N]	0.00[N]	3.48[N]	1.40[N]
La	0.00[N]	0.92[N]	1.41[N]	0.93[N]	1.44[N]	0.00[N]	0.00[N]	0.00[N]	0.51[N]	0.00[N]
RNP-A	0.00[N]	2.73[N]	23.68[P]	1.40[N]	33.11[P]	0.48[N]	0.00[N]	0.50[N]	0.50[N]	1.87[N]
RNP-C	0.00[N]	0.91[N]	37.15[P]	1.86[N]	9.32[B]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	4.64[N]
RNP-68	0.49[N]	1.82[N]	1.88[N]	0.93[N]	32.30[P]	0.00[N]	0.49[N]	0.00[N]	0.50[N]	1.41[N]
SmB	0.00[N]	2.71[N]	11.37[P]	2.78[N]	0.96[N]	1.44[N]	0.00[N]	0.50[N]	1.50[N]	0.47[N]
SmD	1.94[N]	3.17[N]	2.81[N]	0.93[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.41[N]
P0	0.00[N]	1.82[N]	2.34[N]	1.40[N]	2.87[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.41[N]
PCNA	8.48[B]!	0.45[N]	6.90[N]	1.40[N]	0.00[N]	0.48[N]	0.00[N]	0.00[N]	0.00[N]	2.80[N]
dsDNA	0.49[N]	2.71[N]	9.98[B]	2.78[N]	1.44[N]	0.96[N]	0.97[N]	1.49[N]	1.00[N]	2.78[N]
Histone	0.97[N]	9.31[B]	5.54[N]	0.94[N]	0.48[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	5.53[N]
Nucleosom	2.40[N]	3.16[N]	6.00[N]	2.79[N]	1.44[N]	3.34[N]	1.45[N]	2.47[N]	1.00[N]	2.33[N]
DFS70	4.33[N]	1.81[N]	4.62[N]	0.47[N]	0.48[N]	1.43[N]	0.49[N]	0.50[N]	0.00[N]	4.64[N]
M2	0.00[N]	0.91[N]	3.24[N]	0.47[N]	0.48[N]	1.41[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
ANA	Positive	Borderline	Positive	Negative	Positive	Negative	Negative	Negative	Negative	Positive

Check the assignment of bands marked [!] because of a possible interference with the strip background or unclear band interpretation

X - - Conjugate control line was not found. Please check the possibility of substitution