


Test results(2)
Mr. RAMAKANT BAIS
Patient name:

BLOT-LINE ANA

Lot: 23728783
Performed by: VIJAYA
Evaluation time: 12/4/2022 10:47:44 AM

Borderline area from 8.00 to 10.00

Scan image(2) - Mr. RAMAKANT BAIS



Results(2) - Mr. RAMAKANT BAIS

Band order	Band name	Position (mm)	Intensity (%)	Evaluation	Antibodies found against
1	IgG Control	-4.83	√	√	
2	Jo-1	1.95	0.49	Negative	
3	PL-7	3.89	0.49	Negative	
4	PL-12	6.27	2.44	Negative	
5	PmScl	8.97	0.98	Negative	
6	CENP-A	11.68	1.48	Negative	
7	CENP-B	12.95	1.00	Negative	
8	Scl-70	14.90	0.50	Negative	
9	Ro52	18.80	2.95	Negative	
10	Ro60	20.32	1.49	Negative	
11	La	21.93	0.00	Negative	
12	RNP-A	24.38	1.00	Negative	
13	RNP-C	26.92	0.00	Negative	
14	RNP-68	29.46	1.00	Negative	
15	SmB	31.24	1.98	Negative	
16	SmD	32.94	0.00	Negative	
17	P0	35.98	0.00	Negative	
18	PCNA	38.35	3.86	Negative	
19	dsDNA	40.30	3.39	Negative	
20	Histone	41.91	0.48	Negative	
21	Nucleosom	45.47	4.33	Negative	
22	DFS70	48.60	2.43	Negative	
23	M2	50.97	0.00	Negative	
ANA	Negative				