



త్రివేణి హాస్పిటల్

TRIVENI HOSPITAL



గ్రీన్లాండ్ హాస్పిటల్ గేటు ఎదురుగా, డాక్టర్స్ కాలనీ, నల్లగొండ.

Dr. G. TRIVENI

M.B.B.S., M.S.(Obgy.)

Obstetrician & Gynaecologist

Infertility Specialist

Regd. No. 52814

సంప్రదించు వేళలు :
ప్రసవశాల ఉప గం. 10-00 నుండి రాత్రి గం. 7-00 వరకు
అధికారం ఉప గం. 10-00 నుండి మా గం. 2-00 వరకు

Cell: 7569550452, 6302900950

23465690

డా॥ జి. త్రివేణి

M.B.B.S., M.S.(Obgy.)

ప్రసూతి మరియు స్త్రీల వ్యాధి నిపుణులు

Regd. No. 52814

Pl.'s Name Sweetha Lakshmi VIII Chittagale Age 23 Sex F

GPLAD

E 3 MA

Date: 29/12/22

Valid Upto: 12/1/23

Wt : 56 kgs

Temp : 98

PR : 72b

BP : 110/70mmHg

Heart : S1S2

Lungs : WAD

DOB: 26-01-1999

C/O G. wealder

OLEAC-Fair
Abdom

PIA. ut just palp
relaxed

LMP : 12-10-2022

EDD :

S.EDD :

ML :

Consanguinity Yes/No.

Menstrual Periods :
Reg/Irregular

Adv
NT+DM

- R
1. T= Pan-D
1-30d
2. T= Habygutse
200mg
1-30d
3. T= Calhel
+ 30d
4. T= Foldase-A
+ 30d

PRIME SCAN CENTRE

DIAGNOSTICS & POLY CLINIC

Beside Kadimi Hospital,
Doctor's Colony,
NALGONDA-508 001 (TS)
primediagnosics.nlg@gmail.com
www.primescancentre.com
Ph: 93465 06085, 9705344683

PT NAME: MRS. V. SWETHA

AGE/SEX: 23 YRS/F

ATT BY: DR. IRVANI. MS.

DATE: 29-Dec-22

REAL TIME ULTRASONOGRAPHY OF GRAVID UTERUS

UTERUS: Enlarged in size.

E/o a well defined, regular gestational sac with fetal pole in it.

Fetal cardiac activity seen & regular (178 bpm).

Crown to rump length is 49 mm corresponding to 11 weeks 5 days of gestational age.

NT: 1.3 mm.

Nasal bone visualized

No e/o TR

Placenta seen anteriorly upper segment grade '0'

Cervical length: 3.3 cm

EDD(CGA): 15-07-2023.

Ductus venosus shows normal wave form,
no e/o decrease / absent / reversal of diastolic flow

	PI	RI	S/D
Ductus venosus	1.1	0.6	3.0

IMPRESSION:

SINGLE LIVE INTRAUTERINE GESTATION OF 11 WEEKS 5 DAYS

Repeat scan at 20 weeks

THIS REPORT IS FOR INFORMATION ONLY. IT DOES NOT REPLACE A PHYSICIAN'S CLINICAL JUDGEMENT. THE SONOGRAPHER'S RESPONSIBILITY IS TO PROVIDE AN ACCURATE REPORT BASED ON THE INFORMATION AVAILABLE AT THE TIME OF THE EXAMINATION. THE SONOGRAPHER DOES NOT GUARANTEE THE ACCURACY OF THE REPORT. THE SONOGRAPHER DOES NOT GUARANTEE THE ACCURACY OF THE REPORT. THE SONOGRAPHER DOES NOT GUARANTEE THE ACCURACY OF THE REPORT.

IN THE EVENT OF A DISPUTE, THE SONOGRAPHER'S REPORT SHALL BE THE FINAL AUTHORITY.


DR. CH. PRASHANTH REDDY
MBBS, DMRD
REGD NO: 43302
CONSULTANT RADIOLOGIST

OUR FACILITIES: CT Scan, Ultrasound, Colour Doppler, Digital X-Ray,
Computerized Laboratory