


|                          |                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| L2817423                 |                                                                                                                                                                                                                                                                                                                                                               |
| Mrs. TIJAN DEVI          | 03                                                                                                                                                                                                                                                                                                                                                            |
| Director:                | <div> <div>Panel:</div> <div>Acquired:</div> <div>Analyzed:</div> <div>Bead Lot ID:</div> <div>Reagent Lot ID:</div> <div>Operator:</div> <div>Results:</div> </div> <div> <div>HLA-B27</div> <div>25-MARCH-23 20:22:00</div> <div>25-MARCH-23 20:22:00</div> <div>1231344/138</div> <div>1299249:146</div> <div>J. RAVI</div> <div>01042022.csv</div> </div> |
| Column #1: 62 YRS/Female |                                                                                                                                                                                                                                                                                                                                                               |

BD FACSCanto II V33896202252

BD FACSCanto v.3.0.4894.41215

HLA-B27

Total Events: 15399



Reagent Lot ID:

1299249:146

|                       |                         |
|-----------------------|-------------------------|
| Gated Events          | 1851                    |
| Preset HLA-B27 Marker | 123                     |
| Sample HLA-B27 Median | 76                      |
| Conclusion            | HLA-B27 negative sample |

### QC Messages

No quality control messages generated.

### Comments