


Test results(14)
Mrs. REBATI NAYAK
Patient name:

BLOT-LINE ANA

Lot: 24230191 Performed by: MAHESH S Evaluation time: 5/4/2023 6:39:19 PM	Borderline area from 8.00 to 10.00
--	---

Scan image(14) - Mrs. REBATI NAYAK



Results(14) - Mrs. REBATI NAYAK

Band order	Band name	Position (mm)	Intensity (%)	Evaluation	Antibodies found against
1	IgG Control	-4.06	√	√	
2	Jo-1	2.71	1.00	Negative	
3	PL-7	4.83	1.00	Negative	
4	PL-12	7.20	1.50	Negative	
5	PmScl	9.74	0.50	Negative	
6	CENP-A	11.68	0.00	Negative	
7	CENP-B	13.72	0.00	Negative	
8	Scl-70	15.66	0.00	Negative	
9	Ro52	18.63	0.00	Negative	
10	Ro60	21.42	1.49	Negative	
11	La	23.45	1.00	Negative	
12	RNP-A	25.23	2.49	Negative	
13	RNP-C	28.45	1.00	Negative	
14	RNP-68	29.72	0.50	Negative	
15	SmB	31.67	0.50	Negative	
16	SmD	33.70	0.00	Negative	
17	P0	36.75	0.50	Negative	
18	PCNA	38.69	0.50	Negative	
19	dsDNA	41.49	2.00	Negative	
20	Histone	42.67	0.00	Negative	
21	Nucleosom	46.57	2.98	Negative	
22	DFS70	48.68	0.00	Negative	
23	M2	51.73	0.00	Negative	
ANA	Negative				