



త్రివేణి హాస్పిటల్

TRIVENI HOSPITAL



స్రీలండ్ హాస్పిటల్ గేటు ఎదురుగా, డాక్టర్స్ కాలనీ, నల్లగొండ.

Dr. G. TRIVENI

M.B.B.S., M.S.(Obgy.)

Obstetrician & Gynaecologist

Infertility Specialist

Regd. No. 52814

23982050

సంప్రదించు ప్లేజ్ :
ప్రసవించే టైం గా. 10-00 నుండి రాత్రి గా. 7-00 వరకు
అధిపాతం టైం గా. 10-00 నుండి డే గా. 2-00 వరకు

Cell: 7569550452, 6302900950

డా॥ జి. త్రివేణి

M.B.B.S., M.S.(Obgy.)

ప్రసూతి మరియు స్త్రీల వ్యాధి నిపుణులు

Regd. No. 52814

PT's Name Mrs. Hanika Kilo-Vijay Vill. MLG

Age 26 Sex F

GPLAD

E URA

Date: 27/5/23

Valid Upto: 10/6/23

Wt : 56 kgs

Temp : 36.5

PR : 80/nt

BP : 100/70

Heart : S1S2

Lungs : clear

DOB: 29-08-1997

10/6/23

Cl weak

Oct 1st

ABU

parion

PIA soft

Meat

part BULK

LMP : 15-02-2021

EDD :

S.EDD :

ML :

Consanguinity Yes/No.

Menstrual Periods :

Reg/Irregular

R
1. T. Uterus PSR
1-150

2. T. Foll. H. H. H.
1-150

3. T. Zemel
+150

4. PL Part Pouch
O. milk

T. Vagina 4mm
150

T. Cervix 20mm
150

PRIME SCAN CENTRE

DIAGNOSTICS & POLY CLINIC

Beside Kadimi Hospital,
Doctor's Colony,
NALGONDA-508 001 (TS)
primediagnosics.nlg@gmail.
www.primescancentre.com
Ph: 93465 06085, 9705344683

PT NAME: HARIKA.K

AGE/SEX: 26 YRS/F

REF BY: DR. TRIVENI MS

DATE: 12-May-23

REAL TIME ULTRASONOGRAPHY OF GRAVID UTERUS

UTERUS: Enlarged in size.

E/o a well defined, regular gestational sac with fetal pole in it.

Fetal cardiac activity seen & regular (143 bpm).

Crown to rump length is 11 mm corresponding to 11 weeks 6 days of gestational age.

NT: 1.7 mm.

Nasal bone visualized.

No e/o TR

Placenta seen anteriorly upper segment grade '0'

Cervical length: 3.2 cm.

EDD(CGA): 25-11-2023.

Ductus venosus shows normal wave form.

no e/o decrease / absent / reversal of diastolic flow

	PI	RI	S/D
Ductus venosus	1.1	0.6	2.5

IMPRESSION:

SINGLE LIVE INTRAUTERINE GESTATION OF 11 WEEKS 6 DAYS

Repeat scan at 20 weeks

1. This report is based on the information provided by the patient and the findings of the ultrasound examination. It is not intended to be a substitute for a clinical examination.
2. The accuracy of the results is dependent on the quality of the information provided and the skill of the operator.
3. The results of this examination are for informational purposes only and should not be used for medical decisions.
4. The results of this examination are for informational purposes only and should not be used for medical decisions.
5. The results of this examination are for informational purposes only and should not be used for medical decisions.
6. The results of this examination are for informational purposes only and should not be used for medical decisions.
7. The results of this examination are for informational purposes only and should not be used for medical decisions.
8. The results of this examination are for informational purposes only and should not be used for medical decisions.
9. The results of this examination are for informational purposes only and should not be used for medical decisions.
10. The results of this examination are for informational purposes only and should not be used for medical decisions.

DR. CH. PRASHANTH REDDY
MBBS, DMRD
REGD NO: 63302
CONSULTANT RADIOLOGIST

OUR FACILITIES: CT Scan, Ultrasound, Colour Doppler, Digital X-Ray,
Computerized Laboratory