

☒ **Non-Invasive Prenatal Test - NIPT**
☐ **Non-Invasive Prenatal Test - NIPT Microdeletion**

(To be filled in by patient)

Vial ID: 24282527

Patient	Name	HEMA PAUL		Date of Birth	DD/MM/YYYY 06.06.1990	ID/Passport No	
	Address	Bokajan, Assam				Contact number	9834287102
	Weight	55 kg	Blood Type		Inherited Disease ☐ NO ☐ YES		
Pregnancy	Gestation Period	19 Weeks 1 days		Pregnancy type	☐ Singleton ☐ Multiple		
	Past history of Gestation Abnormality ☐ No ☐ Yes						

(To be filled in by Clinical/Medical Institution)

Pregnancy profile	Doctor	SUNIL SHARMA		Undergoing IVF ☐ No ☐ Yes (Number of embryos: Implantation _____ Blighted ovum _____ Fetal reduction _____)				
	Down Syndrome test	☐ none so far ☐ NT _____ Notes: _____ T21 _____ T18 _____ T13 _____						
Sample Info	Medical Institution	Khakhus Clinical Lab.	Contact number	9862192676	Blood taken by	Bero Singh (Sr. Tech)	Blood quantity	9.0mL
	Blood collection date	22.05.23	22.05.2023 (6:00pm)	Blood pick up date				
Collection agent			Condition of blood		Blood ID			

Purpose and method of the test

The Non-Invasive Prenatal Test (NIPT) was developed by PatCare Labs. This test is designed to screen for Trisomy 13 (Patau syndrome), Trisomy 18 (Edwards syndrome) and Trisomy 21 (Down syndrome). The test is performed by first collecting a 10 ml blood sample from an expecting mother at least 10 weeks into the pregnancy. Cell-free fetal DNA is then extracted from the blood sample for subsequent DNA sequencing. Through innovative next-generation DNA sequencing technology, and specialized bioinformatics analysis, this test platform has a detection rate of over 99.9% for the above-mentioned genetic anomalies.

Recommended use of this test:

The Non-Invasive Prenatal Test should be considered after close consultation with your physician and if possible a genetic counselor.

The test is recommended in cases where:

1. Patients are concerned about the risk of invasive prenatal diagnosis; and/or
2. Patients have unusual chromosomal findings which suggest chromosomal abnormality; and/or
3. Patients are of advanced maternal age and/or have a higher risk of their fetus being diagnosed with Down syndrome.

Test Results:

The test report will indicate a Positive (anomaly detected) or Negative (anomaly not detected) result for each of the conditions listed above.

In very few cases, the test does not report any results. In these circumstances, PatCare Labs will provide a free re-test. If the re-test produces no results, the patient will be refunded the initial cost of the test.


Important considerations:

This test does not reveal the gender of the fetus.

If one or both of the parents have a balanced Robertsonian Translocation involving chromosome 21, please consult your physician about the applicability of this test.

Although the detection rate of this test is very high, like all other non-invasive prenatal tests (NIPTs) based on the analysis of cell-free fetal DNA, this test is currently classified as a screening test. A diagnostic test such as amniocentesis or Chorionic Villus Sampling (CVS) is typically recommended for any test positive results. Therefore, the results of this test should be confirmed by a relevant prenatal laboratory.

Patient Signature



Patient E-mail

This NIPT serve as a reference for your physician to suggest further treatment.

The accuracy and quality of the test may be adversely affected by improper blood sample collection, storage and transportation. The accuracy and quality of the test may also be adversely affected by samples taken from patients that have received medical treatment including allogeneic blood transfusion, transplant operations, and stem cell therapy within 30 days of sample collection.

This test is not suitable for:

- Patients with dihydropyridine multiple gestation.
- Patients with diagnostic results that have revealed chromosomal aneuploidy.
- Patients who have previously accepted blood transfusions from other than themselves, or have undergone transplantation surgery, stem cell therapy or egg donation.
- Patients at less than 10 weeks gestation.
- Patients who have tested positive for HIV and/or Hepatitis B/C.

Limitations of the test:

Chromosomal abnormalities such as chromosomal rearrangements, duplications, copy number variations, balanced translocations, inversions, unbalanced translocations, uniparental disomy, mosaicism etc., are not within the scope of detection. Therefore, this test does not guarantee that a fetus will be free from a genetic disease. NIPT Microdeletion test is a risk assessment test only and does not guarantee that a fetus will be free from genetic microdeletion.

Informed consent:

If the NIPT test result is high risk, PatCare will reimburse the cost of further confirmatory diagnostic tests including amniocentesis, CVS and chromosomal fluorescence in situ hybridization (FISH).

Privacy and confidentiality:

PatCare Labs respects the privacy and confidentiality of your personal information. The information

collected on this form (including any relevant medical history) is collected only for the sole purpose of conducting this test

and will not be used in any manner to the contrary.

If you have any questions or would like further clarification, please call the local PatCare Labs representative or the relevant prenatal laboratory.

Doctor's Signature



Doctor's E-mail