


			Test results(3) Mr. M RAJU Patient name:																																																																																																																																																								
BLOT-LINE ANA																																																																																																																																																											
Lot: 23783010 Performed by: MAHESH S Evaluation time: 6/23/2023 7:08:08 PM			Borderline area from 8.00 to 10.00																																																																																																																																																								
Scan image(3) - Mr. M RAJU 																																																																																																																																																											
Results(3) - Mr. M RAJU <table><tr><th>Band order</th><th>Band name</th><th>Position (mm)</th><th>Intensity (%)</th><th>Evaluation</th><th>Antibodies found against</th></tr><tr><td>1</td><td>IgG Control</td><td>-4.91</td><td>√</td><td>√</td><td></td></tr><tr><td>2</td><td>Jo-1</td><td>1.86</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>3</td><td>PL-7</td><td>3.89</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>4</td><td>PL-12</td><td>5.76</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>5</td><td>PmScl</td><td>9.23</td><td>1.51</td><td>Negative</td><td></td></tr><tr><td>6</td><td>CENP-A</td><td>10.75</td><td>0.51</td><td>Negative</td><td></td></tr><tr><td>7</td><td>CENP-B</td><td>12.87</td><td>0.51</td><td>Negative</td><td></td></tr><tr><td>8</td><td>Scl-70</td><td>14.82</td><td>0.51</td><td>Negative</td><td></td></tr><tr><td>9</td><td>Ro52</td><td>18.71</td><td>2.01</td><td>Negative</td><td></td></tr><tr><td>10</td><td>Ro60</td><td>20.66</td><td>1.50</td><td>Negative</td><td></td></tr><tr><td>11</td><td>La</td><td>22.44</td><td>1.49</td><td>Negative</td><td></td></tr><tr><td>12</td><td>RNP-A</td><td>23.88</td><td>0.99</td><td>Negative</td><td></td></tr><tr><td>13</td><td>RNP-C</td><td>26.84</td><td>0.50</td><td>Negative</td><td></td></tr><tr><td>14</td><td>RNP-68</td><td>28.87</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>15</td><td>SmB</td><td>30.99</td><td>2.47</td><td>Negative</td><td></td></tr><tr><td>16</td><td>SmD</td><td>32.77</td><td>0.50</td><td>Negative</td><td></td></tr><tr><td>17</td><td>P0</td><td>35.90</td><td>0.50</td><td>Negative</td><td></td></tr><tr><td>18</td><td>PCNA</td><td>38.44</td><td>1.49</td><td>Negative</td><td></td></tr><tr><td>19</td><td>dsDNA</td><td>40.22</td><td>1.97</td><td>Negative</td><td></td></tr><tr><td>20</td><td>Histone</td><td>41.74</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>21</td><td>Nucleosom</td><td>45.30</td><td>1.48</td><td>Negative</td><td></td></tr><tr><td>22</td><td>DFS70</td><td>48.34</td><td>3.47</td><td>Negative</td><td></td></tr><tr><td>23</td><td>M2</td><td>50.88</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>ANA</td><td colspan="5">Negative</td></tr></table>						Band order	Band name	Position (mm)	Intensity (%)	Evaluation	Antibodies found against	1	IgG Control	-4.91	√	√		2	Jo-1	1.86	0.00	Negative		3	PL-7	3.89	0.00	Negative		4	PL-12	5.76	0.00	Negative		5	PmScl	9.23	1.51	Negative		6	CENP-A	10.75	0.51	Negative		7	CENP-B	12.87	0.51	Negative		8	Scl-70	14.82	0.51	Negative		9	Ro52	18.71	2.01	Negative		10	Ro60	20.66	1.50	Negative		11	La	22.44	1.49	Negative		12	RNP-A	23.88	0.99	Negative		13	RNP-C	26.84	0.50	Negative		14	RNP-68	28.87	0.00	Negative		15	SmB	30.99	2.47	Negative		16	SmD	32.77	0.50	Negative		17	P0	35.90	0.50	Negative		18	PCNA	38.44	1.49	Negative		19	dsDNA	40.22	1.97	Negative		20	Histone	41.74	0.00	Negative		21	Nucleosom	45.30	1.48	Negative		22	DFS70	48.34	3.47	Negative		23	M2	50.88	0.00	Negative		ANA	Negative				
Band order	Band name	Position (mm)	Intensity (%)	Evaluation	Antibodies found against																																																																																																																																																						
1	IgG Control	-4.91	√	√																																																																																																																																																							
2	Jo-1	1.86	0.00	Negative																																																																																																																																																							
3	PL-7	3.89	0.00	Negative																																																																																																																																																							
4	PL-12	5.76	0.00	Negative																																																																																																																																																							
5	PmScl	9.23	1.51	Negative																																																																																																																																																							
6	CENP-A	10.75	0.51	Negative																																																																																																																																																							
7	CENP-B	12.87	0.51	Negative																																																																																																																																																							
8	Scl-70	14.82	0.51	Negative																																																																																																																																																							
9	Ro52	18.71	2.01	Negative																																																																																																																																																							
10	Ro60	20.66	1.50	Negative																																																																																																																																																							
11	La	22.44	1.49	Negative																																																																																																																																																							
12	RNP-A	23.88	0.99	Negative																																																																																																																																																							
13	RNP-C	26.84	0.50	Negative																																																																																																																																																							
14	RNP-68	28.87	0.00	Negative																																																																																																																																																							
15	SmB	30.99	2.47	Negative																																																																																																																																																							
16	SmD	32.77	0.50	Negative																																																																																																																																																							
17	P0	35.90	0.50	Negative																																																																																																																																																							
18	PCNA	38.44	1.49	Negative																																																																																																																																																							
19	dsDNA	40.22	1.97	Negative																																																																																																																																																							
20	Histone	41.74	0.00	Negative																																																																																																																																																							
21	Nucleosom	45.30	1.48	Negative																																																																																																																																																							
22	DFS70	48.34	3.47	Negative																																																																																																																																																							
23	M2	50.88	0.00	Negative																																																																																																																																																							
ANA	Negative																																																																																																																																																										