


**Test results(8)**  
**Mrs. MEGHNA PATIL**  
**Patient name:**

**BLOT-LINE ANA**

**Lot:** 24087639  
**Performed by:** MAHESH S  
**Evaluation time:** 7/6/2023 7:44:30 PM

**Borderline area from 8.00 to 10.00**

**Scan image(8) - Mrs. MEGHNA PATIL**



**Results(8) - Mrs. MEGHNA PATIL**

| Band order | Band name       | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-----------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control     | -3.89         | √             | √          |                          |
| 2          | Jo-1            | 2.88          | 0.00          | Negative   |                          |
| 3          | PL-7            | 4.83          | 0.98          | Negative   |                          |
| 4          | PL-12           | 6.77          | 0.00          | Negative   |                          |
| 5          | PmScl           | 9.82          | 0.00          | Negative   |                          |
| 6          | CENP-A          | 11.77         | 0.00          | Negative   |                          |
| 7          | CENP-B          | 13.89         | 0.00          | Negative   |                          |
| 8          | Scl-70          | 15.83         | 0.00          | Negative   |                          |
| 9          | Ro52            | 18.88         | 0.49          | Negative   |                          |
| 10         | Ro60            | 20.91         | 0.00          | Negative   |                          |
| 11         | La              | 22.86         | 0.00          | Negative   |                          |
| 12         | RNP-A           | 24.89         | 0.00          | Negative   |                          |
| 13         | RNP-C           | 27.86         | 0.50          | Negative   |                          |
| 14         | RNP-68          | 29.89         | 0.50          | Negative   |                          |
| 15         | SmB             | 31.75         | 0.00          | Negative   |                          |
| 16         | SmD             | 33.87         | 0.00          | Negative   |                          |
| 17         | P0              | 36.41         | 1.48          | Negative   |                          |
| 18         | PCNA            | 38.86         | 0.50          | Negative   |                          |
| 19         | dsDNA           | 40.89         | 0.50          | Negative   |                          |
| 20         | Histone         | 42.84         | 0.00          | Negative   |                          |
| 21         | Nucleosom       | 45.89         | 0.99          | Negative   |                          |
| 22         | DFS70           | 48.85         | 0.00          | Negative   |                          |
| 23         | M2              | 51.90         | 0.00          | Negative   |                          |
| <b>ANA</b> | <b>Negative</b> |               |               |            |                          |

The evaluation has been accomplished without calibration of the input image