


Test results(3)
Mrs. Vidya bhutkar
Patient name:

BLOT-LINE ANA

Lot: 24547366
Performed by: MAHESH
Evaluation time: 7/9/2023 10:18:10 PM

Borderline area from 8.00 to 10.00

Scan image(3) - Mrs. Vidya bhutkar



Results(3) - Mrs. Vidya bhutkar

Band order	Band name	Position (mm)	Intensity (%)	Evaluation	Antibodies found against
1	IgG Control	-4.91	√	√	
2	Jo-1	1.86	0.00	Negative	
3	PL-7	3.89	0.00	Negative	
4	PL-12	6.43	1.00	Negative	
5	PmScl	9.57	1.01	Negative	
6	CENP-A	10.75	0.51	Negative	
7	CENP-B	12.87	0.00	Negative	
8	Scl-70	14.82	0.00	Negative	
9	Ro52	18.71	1.51	Negative	
10	Ro60	20.66	1.50	Negative	
11	La	22.35	1.49	Negative	
12	RNP-A	24.30	1.49	Negative	
13	RNP-C	26.84	0.50	Negative	
14	RNP-68	28.87	0.00	Negative	
15	SmB	30.99	2.48	Negative	
16	SmD	32.77	0.50	Negative	
17	P0	35.90	0.50	Negative	
18	PCNA	37.85	0.00	Negative	
19	dsDNA	40.22	2.47	Negative	
20	Histone	41.74	0.50	Negative	
21	Nucleosom	45.21	2.47	Negative	
22	DFS70	48.43	3.49	Negative	
23	M2	50.88	0.51	Negative	
ANA	Negative				

The evaluation has been accomplished without calibration of the input image