

# Test results(14)

**Master. VIKASH**

**Patient name:**

## BLOT-LINE ANA

**Lot:** 22500481

**Performed by:**


N.VIJAYA

**Evaluation time:**

7/12/2023 10:34:43 AM

**Borderline area from 8.00 to 10.00**

### Scan image(14) - Master. VIKASH



### Results(14) - Master. VIKASH

| Band order | Band name       | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-----------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control     | -4.06         | √             | √          |                          |
| 2          | Jo-1            | 2.79          | 1.01          | Negative   |                          |
| 3          | PL-7            | 4.83          | 0.00          | Negative   |                          |
| 4          | PL-12           | 7.20          | 3.50          | Negative   |                          |
| 5          | PmScl           | 10.08         | 1.01          | Negative   |                          |
| 6          | CENP-A          | 12.36         | 2.01          | Negative   |                          |
| 7          | CENP-B          | 13.80         | 0.00          | Negative   |                          |
| 8          | Scl-70          | 15.75         | 0.00          | Negative   |                          |
| 9          | Ro52            | 19.30         | 1.01          | Negative   |                          |
| 10         | Ro60            | 20.83         | 0.51          | Negative   |                          |
| 11         | La              | 23.45         | 1.01          | Negative   |                          |
| 12         | RNP-A           | 25.32         | 1.51          | Negative   |                          |
| 13         | RNP-C           | 27.52         | 2.51          | Negative   |                          |
| 14         | RNP-68          | 30.31         | 1.51          | Negative   |                          |
| 15         | SmB             | 31.75         | 0.00          | Negative   |                          |
| 16         | SmD             | 33.70         | 0.00          | Negative   |                          |
| 17         | P0              | 37.34         | 1.01          | Negative   |                          |
| 18         | PCNA            | 39.62         | 1.01          | Negative   |                          |
| 19         | dsDNA           | 41.49         | 1.01          | Negative   |                          |
| 20         | Histone         | 43.52         | 1.01          | Negative   |                          |
| 21         | Nucleosom       | 46.40         | 3.49          | Negative   |                          |
| 22         | DFS70           | 48.77         | 0.00          | Negative   |                          |
| 23         | M2              | 51.05         | 1.00          | Negative   |                          |
| <b>ANA</b> | <b>Negative</b> |               |               |            |                          |

The evaluation has been accomplished without calibration of the input image