


**Test results(2)**  
**Mrs. KRISHNA PATTNAIK**  
**Patient name:**

**BLOT-LINE ANA**

**Lot:** 24419649  
**Performed by:** MAHESH S  
**Evaluation time:** 7/13/2023 8:11:15 PM

**Borderline area from 8.00 to 10.00**

**Scan image(2) - Mrs. KRISHNA PATTNAIK**



**Results(2) - Mrs. KRISHNA PATTNAIK**

| Band order | Band name       | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-----------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control     | -3.89         | √             | √          |                          |
| 2          | Jo-1            | 2.79          | 0.99          | Negative   |                          |
| 3          | PL-7            | 4.83          | 0.49          | Negative   |                          |
| 4          | PL-12           | 7.20          | 1.97          | Negative   |                          |
| 5          | PmScl           | 9.74          | 0.99          | Negative   |                          |
| 6          | CENP-A          | 12.36         | 2.45          | Negative   |                          |
| 7          | CENP-B          | 13.80         | 0.00          | Negative   |                          |
| 8          | Scl-70          | 16.34         | 5.83          | Negative   |                          |
| 9          | Ro52            | 18.03         | 5.86          | Negative   |                          |
| 10         | Ro60            | 21.42         | 1.98          | Negative   |                          |
| 11         | La              | 23.37         | 2.47          | Negative   |                          |
| 12         | RNP-A           | 25.32         | 1.49          | Negative   |                          |
| 13         | RNP-C           | 27.77         | 0.99          | Negative   |                          |
| 14         | RNP-68          | 30.31         | 2.47          | Negative   |                          |
| 15         | SmB             | 31.75         | 0.50          | Negative   |                          |
| 16         | SmD             | 33.70         | 0.99          | Negative   |                          |
| 17         | P0              | 36.83         | 0.50          | Negative   |                          |
| 18         | PCNA            | 38.78         | 0.50          | Negative   |                          |
| 19         | dsDNA           | 41.15         | 2.97          | Negative   |                          |
| 20         | Histone         | 43.26         | 2.48          | Negative   |                          |
| 21         | Nucleosom       | 46.23         | 2.47          | Negative   |                          |
| 22         | DFS70           | 49.28         | 3.44          | Negative   |                          |
| 23         | M2              | 52.49         | 1.96          | Negative   |                          |
| <b>ANA</b> | <b>Negative</b> |               |               |            |                          |

The evaluation has been accomplished without calibration of the input image