

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 24871990               |                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Ms. NIMISHA KAKOTY     | 09                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Director:              | <div> <div>Panel:</div> <div>HLA-B27</div> </div> <div> <div>Acquired:</div> <div>17-09-23 20:02:00</div> </div> <div> <div>Analyzed:</div> <div>17-09-23 20:02:00</div> </div> <div> <div>Bead Lot ID:</div> <div>1231344/138</div> </div> <div> <div>Reagent Lot ID:</div> <div>1299249:146</div> </div> <div> <div>Operator:</div> <div>J. RAVI</div> </div> <div> <div>Results:</div> <div>01042022.csv</div> </div> |
| Column # 23 YRS/Female |                                                                                                                                                                                                                                                                                                                                                                                                                          |

BD FACSCanto II V33896202252

BD FACSCanto v.3.0.4894.41215

HLA-B27

Total Events: 10988



Reagent Lot ID:

1299249:146

|                       |                         |
|-----------------------|-------------------------|
| Gated Events          | 1092                    |
| Preset HLA-B27 Marker | 139                     |
| Sample HLA-B27 Median | 77                      |
| Conclusion            | HLA-B27 negative sample |

### QC Messages

No quality control messages generated.

### Comments