

Test results(3)

Mrs. SANIYA

Patient name:

BLOT-LINE ANA

Lot: 24763860

Performed by: RAVINDRA BABU

Evaluation time: 11/2/2023 8:33:42 PM

Borderline area from 8.00 to 10.00

Scan image(3) - Mrs. SANIYA

Results(3) - Mrs. SANIYA

Band order	Band name	Position (mm)	Intensity (%)	Evaluation	Antibodies found against
1	IgG Control	-4.06	√	√	
2	Jo-1	2.03	1.98	Negative	
3	PL-7	4.74	0.50	Negative	
4	PL-12	6.69	0.00	Negative	
5	PmScl	9.74	0.50	Negative	
6	CENP-A	11.68	0.00	Negative	
7	CENP-B	13.97	3.92	Negative	
8	Scl-70	15.66	0.00	Negative	
9	Ro52	18.63	0.00	Negative	
10	Ro60	20.74	0.00	Negative	
11	La	22.69	0.50	Negative	
12	RNP-A	24.72	0.00	Negative	
13	RNP-C	27.69	1.01	Negative	
14	RNP-68	29.80	1.01	Negative	
15	SmB	32.17	1.53	Negative	
16	SmD	33.70	0.51	Negative	
17	P0	36.75	0.00	Negative	
18	PCNA	38.52	1.53	Negative	
19	dsDNA	40.72	0.51	Negative	
20	Histone	42.67	0.51	Negative	
21	Nucleosom	45.38	2.03	Negative	
22	DFS70	48.68	0.00	Negative	
23	M2	51.73	0.51	Negative	
ANA	Negative				

Immunoblot Software, version1.9.0

TestLine Clinical Diagnostics s. r. o.

www.testlinecd.com

Scan has not been saved