


Test results(19)
Mrs. MALEKAR SAVITA
Patient name:

BLOT-LINE ANA

Lot: 25100906 Performed by: VIJAYA Evaluation time: 11/12/2023 7:23:53 PM	Borderline area from 8.00 to 10.00
--	---

Scan image(19) - Mrs. MALEKAR SAVITA



Results(19) - Mrs. MALEKAR SAVITA

Band order	Band name	Position (mm)	Intensity (%)	Evaluation	Antibodies found against
1	IgG Control	-1.69	√	√	
2	Jo-1	4.91	0.00	Negative	
3	PL-7	6.94	0.00	Negative	
4	PL-12	9.14	1.00	Negative	
5	PmScl	12.45	1.50	Negative	
6	CENP-A	13.89	1.51	Negative	
7	CENP-B	15.92	0.50	Negative	
8	Scl-70	17.86	0.00	Negative	
9	Ro52	21.42	2.49	Negative	
10	Ro60	22.94	0.00	Negative	
11	La	24.89	0.50	Negative	
12	RNP-A	26.92	0.00	Negative	
13	RNP-C	29.89	0.00	Negative	
14	RNP-68	32.17	1.00	Negative	
15	SmB	34.29	2.49	Negative	
16	SmD	35.90	0.00	Negative	
17	P0	38.95	0.00	Negative	
18	PCNA	40.89	0.00	Negative	
19	dsDNA	43.26	1.51	Negative	
20	Histone	45.38	1.00	Negative	
21	Nucleosom	48.18	14.38	Positive	
22	DFS70	50.88	0.50	Negative	
23	M2	53.85	0.00	Negative	
ANA	Positive				