

## Summary results

### BLOT-LINE ANA


Lot: 23045275

Performed by: vijaya

Evaluation time: 12/4/2023 10:56:04 AM

Borderline area from 8.00 to 10.00

#### Scan image(1 - 12):



#### Results(1 - 12):

	Sample no. 1	Sample no. 2	Sample no. 3	Sample no. 4	Sample no. 5	Sample no. 7	Sample no. 8	Sample no. 9	Sample no. 11	Sample no. 12
<b>Description</b>			Mrs. INDU GUPTA							
<b>IgG Control</b>	√	X	√	√	√	√	X	√	√	√
<b>Jo-1</b>	0.51[N]	0.99[N]	0.49[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.46[N]	0.00[N]
<b>PL-7</b>	1.51[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.48[N]	1.41[N]	0.00[N]	0.49[N]	0.00[N]
<b>PL-12</b>	0.00[N]	2.49[N]	2.94[N]	0.00[N]	0.00[N]	0.48[N]	0.00[N]	0.47[N]	0.00[N]	1.48[N]
<b>PmScl</b>	1.01[N]	1.50[N]	0.49[N]	0.49[N]	0.00[N]	0.49[N]	0.00[N]	0.47[N]	0.49[N]	0.99[N]
<b>CENP-A</b>	0.51[N]	1.00[N]	1.97[N]	0.00[N]	0.49[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.48[N]
<b>CENP-B</b>	0.00[N]	0.00[N]	0.50[N]	0.00[N]	0.00[N]	0.00[N]	0.95[N]	0.00[N]	0.00[N]	0.00[N]
<b>Scl-70</b>	0.00[N]	0.00[N]	0.00[N]	0.99[N]	0.49[N]	0.49[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
<b>Ro52</b>	<b>56.89[P]</b>	0.00[N]	0.99[N]	0.00[N]	0.00[N]	0.00[N]	1.42[N]	2.34[N]	8.58[B]	<b>22.91[P]</b>
<b>Ro60</b>	1.02[N]	<b>11.09[P]</b>	0.49[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.94[N]	0.00[N]	0.50[N]
<b>La</b>	0.51[N]	1.51[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
<b>RNP-A</b>	1.52[N]	0.00[N]	0.99[N]	0.00[N]	0.00[N]	0.49[N]	0.48[N]	0.47[N]	0.00[N]	0.00[N]
<b>RNP-C</b>	9.33[B]	0.00[N]	1.96[N]	0.50[N]	0.50[N]	0.49[N]	0.00[N]	0.47[N]	0.00[N]	0.50[N]
<b>RNP-68</b>	2.02[N]	0.50[N]	1.48[N]	0.00[N]	0.50[N]	0.49[N]	0.00[N]	0.47[N]	0.00[N]	0.99[N]
<b>SmB</b>	9.33[B]	1.51[N]	0.00[N]	0.00[N]	2.01[N]	0.49[N]	0.00[N]	1.89[N]	0.49[N]	0.49[N]
<b>SmD</b>	1.02[N]	7.84[N]	0.50[N]	2.94[N]	1.01[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.49[N]
<b>P0</b>	<b>26.77[P]</b>	1.01[N]	0.00[N]	0.49[N]	0.00[N]	0.00[N]	0.48[N]	0.00[N]	0.98[N]	0.00[N]
<b>PCNA</b>	0.00[N]	2.48[N]	0.50[N]	0.49[N]	0.00[N]	0.00[N]	1.91[N]	0.47[N]	0.00[N]	0.00[N]
<b>dsDNA</b>	2.02[N]	2.95[N]	0.99[N]	0.99[N]	1.51[N]	1.94[N]	2.84[N]	1.90[N]	0.49[N]	0.99[N]
<b>Histone</b>	2.02[N]	2.97[N]	0.49[N]	0.99[N]	1.00[N]	0.49[N]	2.84[N]	0.95[N]	0.49[N]	0.50[N]
<b>Nucleosom</b>	1.52[N]	3.97[N]	2.94[N]	1.48[N]	0.50[N]	<b>16.81[P]!</b>	2.37[N]	2.84[N]	1.47[N]	1.48[N]
<b>DFS70</b>	0.00[N]	5.44[N]	3.42[N]	0.99[N]	1.00[N]	0.97[N]	2.39[N]	0.48[N]	0.00[N]	0.00[N]
<b>M2</b>	1.52[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.98[N]	0.48[N]	0.00[N]	0.49[N]	0.00[N]
<b>ANA</b>	<b>Positive</b>	<b>Positive</b>	Negative	Negative	Negative	<b>Positive</b>	Negative	Negative	Borderline	<b>Positive</b>

Check the assignment of bands marked [!] because of a possible interference with the strip background or unclear band interpretation


X -- Conjugate control line was not found. Please check the possibility of substitution

**Summary results****BLOT-LINE ANA****Lot:** 23045275**Performed by:**

vijaya

**Evaluation time:**

12/4/2023 10:56:04 AM

**Borderline area from 8.00 to 10.00****Scan image(14 - 20):****Results(14 - 20):**

	Sample no. 14	Sample no. 17	Sample no. 20								
<b>Description</b>											
<b>IgG Control</b>	X	✓	✓								
<b>Jo-1</b>	[∅]	0.50[N]	0.00[N]								
<b>PL-7</b>	[∅]	0.50[N]	1.51[N]								
<b>PL-12</b>	[∅]	1.98[N]	5.46[N]								
<b>PmScl</b>	[∅]	0.00[N]	0.00[N]								
<b>CENP-A</b>	[∅]	0.00[N]	0.00[N]								
<b>CENP-B</b>	[∅]	0.00[N]	0.00[N]								
<b>Scl-70</b>	[∅]	0.50[N]	0.00[N]								
<b>Ro52</b>	[∅]	2.48[N]	<b>21.38[P]</b>								
<b>Ro60</b>	[∅]	0.50[N]	0.51[N]								
<b>La</b>	[∅]	0.00[N]	0.51[N]								
<b>RNP-A</b>	[∅]	0.00[N]	0.00[N]								
<b>RNP-C</b>	[∅]	0.00[N]	0.51[N]								
<b>RNP-68</b>	[∅]	1.00[N]	0.00[N]								
<b>SmB</b>	[∅]	2.97[N]	0.00[N]								
<b>SmD</b>	[∅]	0.50[N]	0.00[N]								
<b>P0</b>	[∅]	0.00[N]	1.01[N]								
<b>PCNA</b>	[∅]	0.50[N]	0.00[N]								
<b>dsDNA</b>	[∅]	1.49[N]	2.01[N]								
<b>Histone</b>	[∅]	1.98[N]	1.01[N]								
<b>Nucleosom</b>	[∅]	<b>12.41[P]</b>	1.51[N]								
<b>DFS70</b>	[∅]	0.50[N]	0.00[N]								
<b>M2</b>	[∅]	0.50[N]	0.50[N]								
<b>ANA</b>	Unable to evaluate	<b>Positive</b>	<b>Positive</b>								

All bands assigned [∅] - strip mechanically damaged, unable to evaluate

X -- Conjugate control line was not found. Please check the possibility of substitution