


SAGEPATH LABS PVT LTD.,

Result Down's syndrome screening

Name	Mrs. AMENA NASER	Sample ID	23950841	diabetes	no
Patient ID	0012312120343	D.O.B.	17-10-1999	Fetuses	1
Day of serum taking	12-12-2023	Age at delivery	24.5	Smoker	no
Date of report:	12-12-2023	Weight [kg]	64 kg	IVF	no
Previous trisomy 21 pregnancies	unknown			Ethnic origin	Asian

Corrected MoM's and calculated risks

AFP	74.56	ng/mL	1.09	Corr. MoM	Gestational age at sample date	20 + 4
uE3	1.62	ng/mL	0.95	Corr. MoM	determination method	BPD Hadlock
HCG	19455.5	mIU/mL	1.17	Corr. MoM	Physician	
Inh-A	214.55	IU/ml	0.94	Corr. MoM		



Tr.21 risk
at term

<1:10000

Age risk
at term

1:1403

Down's Syndrome Risk

The calculated risk for Trisomy 21 is below the cut off which represents a low risk.

After the result of the Trisomy 21 test it is expected that among more than 10000 women with the same data, there is one woman with a trisomy 21 pregnancy.

The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician.

Please note that risk calculations are statistical approaches and have no diagnostic value!

Neural tube defects risk

The corrected MoM AFP (1.09) is located in the low risk area for neural tube defects.

Risk for trisomy 18

The calculated risk for trisomy 18 is < 1:10000, which indicates a low risk.

below cut off

Below Cut Off, but above Age Risk

above cut off

Prisca 5.1.0.17