


|                          |                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 25099902                 |                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Mrs. MINATI NAYAK</b> | <b>01</b>                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Director:                | <div> <div>Panel:</div> <div>HLA-B27</div> </div> <div> <div>Acquired:</div> <div>24-DEC-23 19:05:00</div> </div> <div> <div>Analyzed:</div> <div>24-DEC-23 19:05:00</div> </div> <div> <div>Bead Lot ID:</div> <div>1231344/138</div> </div> <div> <div>Reagent Lot ID:</div> <div>1299249/146</div> </div> <div> <div>Operator:</div> <div>J. RAVI</div> </div> <div> <div>Results:</div> <div>01042022.csv</div> </div> |
| Column #1: 64 YRS/Female |                                                                                                                                                                                                                                                                                                                                                                                                                            |

BD FACSCanto II V33896202252

BD FACSCanto v.3.0.4894.41215

HLA-B27

Total Events: 19951



Reagent Lot ID: 1299249:146

|                       |                         |
|-----------------------|-------------------------|
| Gated Events          | 2675                    |
| Preset HLA-B27 Marker | 188                     |
| Sample HLA-B27 Median | 197                     |
| Conclusion            | HLA-B27 positive sample |

QC Messages

No quality control messages generated.

Comments