

|                        |                                                                                                                                                                                                                                                                                                                                                         |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A0008637               |                                                                                                                                                                                                                                                                                                                                                         |
| Mr. JOYMOHAN MATTA     | 09                                                                                                                                                                                                                                                                                                                                                      |
| Director:              | <div> <div>Panel:</div> <div>Acquired:</div> <div>Analyzed:</div> <div>Bead Lot ID:</div> <div>Reagent Lot ID:</div> <div>Operator:</div> <div>Results:</div> </div> <div> <div>HLA-B27</div> <div>02-02-24 18:52:00</div> <div>02-02-24 18:52:00</div> <div>1231344/138</div> <div>1299249/146</div> <div>J. RAVI</div> <div>01042022.csv</div> </div> |
| Column #1: 40 YRS/Male |                                                                                                                                                                                                                                                                                                                                                         |

BD FACSCanto II V33896202252

BD FACSCanto v.3.0.4894.41215

HLA-B27

Total Events: 27120



Reagent Lot ID: 1299249:146

|                       |                         |
|-----------------------|-------------------------|
| Gated Events          | 2710                    |
| Preset HLA-B27 Marker | 188                     |
| Sample HLA-B27 Median | 192                     |
| Conclusion            | HLA-B27 Positive Sample |

QC Messages

No quality control messages generated.

Comments