


|                      |                                                                                                                                                                                                                                                      |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A0020482             |                                                                                                                                                                                                                                                      |
| Mr. NISHI SINGH      | 02                                                                                                                                                                                                                                                   |
| Director:            | <div>Panel: HLA-B27</div> <div>Acquired: 15-02-2024 19:06:00</div> <div>Analyzed: 15-02-2024 19:06:00</div> <div>Bead Lot ID: 1231344/138</div> <div>Reagent Lot ID: 1299249:146</div> <div>Operator: J. RAVI</div> <div>Results: 01042022.csv</div> |
| Column # 39 YRS/Male |                                                                                                                                                                                                                                                      |

BD FACSCanto II V33896202252

BD FACSCanto v.3.0.4894.41215

HLA-B27

Total Events: 10999



Reagent Lot ID:

1299249:146

|                       |                         |
|-----------------------|-------------------------|
| Gated Events          | 1097                    |
| Preset HLA-B27 Marker | 135                     |
| Sample HLA-B27 Median | 74                      |
| Conclusion            | HLA-B27 Negative Sample |

### QC Messages

No quality control messages generated.

### Comments