

|                      |                                                                                                                                                                                                                                                      |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A0733497             |                                                                                                                                                                                                                                                      |
| Mr. NARAYAN MAHATO   | 03                                                                                                                                                                                                                                                   |
| Director:            | <div>Panel: HLA-B27</div> <div>Acquired: 05-05-2024 14:33:00</div> <div>Analyzed: 05-05-2024 14:34:00</div> <div>Bead Lot ID: 1231344/138</div> <div>Reagent Lot ID: 1299249:146</div> <div>Operator: J. RAVI</div> <div>Results: 01042022.csv</div> |
| Column#: 38 YRS/Male |                                                                                                                                                                                                                                                      |

BD FACSCanto II V33896202252

BD FACSCanto v.3.0.4894.41215

HLA-B27

Total Events: 11200



Reagent Lot ID:

1299249:146

|                       |                         |
|-----------------------|-------------------------|
| Gated Events          | 1119                    |
| Preset HLA-B27 Marker | 140                     |
| Sample HLA-B27 Median | 81                      |
| 4Conclusion           | HLA-B27 Negative Sample |

### QC Messages

No quality control messages generated.

### Comments