

	Test results(6) Mrs. AHILA Patient name:																																																																																																																																																										
BLOT-LINE ANA																																																																																																																																																											
Lot: A0015649 Performed by: MAHESH S Evaluation time: 5/10/2024 10:40:42 AM			Borderline area from 8.00 to 10.00																																																																																																																																																								
Scan image(6) - Mrs. AHILA																																																																																																																																																											
Results(6) - Mrs. AHILA <table><tr><th>Band order</th><th>Band name</th><th>Position (mm)</th><th>Intensity (%)</th><th>Evaluation</th><th>Antibodies found against</th></tr><tr><td>1</td><td>IgG Control</td><td>-3.89</td><td>√</td><td>√</td><td></td></tr><tr><td>2</td><td>Jo-1</td><td>2.88</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>3</td><td>PL-7</td><td>4.83</td><td>0.50</td><td>Negative</td><td></td></tr><tr><td>4</td><td>PL-12</td><td>6.77</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>5</td><td>PmScl</td><td>10.50</td><td>1.48</td><td>Negative</td><td></td></tr><tr><td>6</td><td>CENP-A</td><td>11.85</td><td>0.50</td><td>Negative</td><td></td></tr><tr><td>7</td><td>CENP-B</td><td>13.89</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>8</td><td>Scl-70</td><td>15.83</td><td>0.50</td><td>Negative</td><td></td></tr><tr><td>9</td><td>Ro52</td><td>19.64</td><td>10.59</td><td>Positive</td><td>SS-A antigen</td></tr><tr><td>10</td><td>Ro60</td><td>21.51</td><td>1.49</td><td>Negative</td><td></td></tr><tr><td>11</td><td>La</td><td>23.45</td><td>1.49</td><td>Negative</td><td></td></tr><tr><td>12</td><td>RNP-A</td><td>24.89</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>13</td><td>RNP-C</td><td>27.86</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>14</td><td>RNP-68</td><td>29.89</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>15</td><td>SmB</td><td>31.75</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>16</td><td>SmD</td><td>33.87</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>17</td><td>P0</td><td>36.91</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>18</td><td>PCNA</td><td>38.86</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>19</td><td>dsDNA</td><td>40.89</td><td>0.50</td><td>Negative</td><td></td></tr><tr><td>20</td><td>Histone</td><td>42.84</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>21</td><td>Nucleosom</td><td>46.31</td><td>1.00</td><td>Negative</td><td></td></tr><tr><td>22</td><td>DFS70</td><td>48.85</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>23</td><td>M2</td><td>51.90</td><td>0.00</td><td>Negative</td><td></td></tr><tr><td>ANA</td><td colspan="5">Positive</td></tr></table> Possible association with: Sjögren's syndrome, SLE, neonatal SLE The evaluation has been accomplished without calibration of the input image						Band order	Band name	Position (mm)	Intensity (%)	Evaluation	Antibodies found against	1	IgG Control	-3.89	√	√		2	Jo-1	2.88	0.00	Negative		3	PL-7	4.83	0.50	Negative		4	PL-12	6.77	0.00	Negative		5	PmScl	10.50	1.48	Negative		6	CENP-A	11.85	0.50	Negative		7	CENP-B	13.89	0.00	Negative		8	Scl-70	15.83	0.50	Negative		9	Ro52	19.64	10.59	Positive	SS-A antigen	10	Ro60	21.51	1.49	Negative		11	La	23.45	1.49	Negative		12	RNP-A	24.89	0.00	Negative		13	RNP-C	27.86	0.00	Negative		14	RNP-68	29.89	0.00	Negative		15	SmB	31.75	0.00	Negative		16	SmD	33.87	0.00	Negative		17	P0	36.91	0.00	Negative		18	PCNA	38.86	0.00	Negative		19	dsDNA	40.89	0.50	Negative		20	Histone	42.84	0.00	Negative		21	Nucleosom	46.31	1.00	Negative		22	DFS70	48.85	0.00	Negative		23	M2	51.90	0.00	Negative		ANA	Positive				
Band order	Band name	Position (mm)	Intensity (%)	Evaluation	Antibodies found against																																																																																																																																																						
1	IgG Control	-3.89	√	√																																																																																																																																																							
2	Jo-1	2.88	0.00	Negative																																																																																																																																																							
3	PL-7	4.83	0.50	Negative																																																																																																																																																							
4	PL-12	6.77	0.00	Negative																																																																																																																																																							
5	PmScl	10.50	1.48	Negative																																																																																																																																																							
6	CENP-A	11.85	0.50	Negative																																																																																																																																																							
7	CENP-B	13.89	0.00	Negative																																																																																																																																																							
8	Scl-70	15.83	0.50	Negative																																																																																																																																																							
9	Ro52	19.64	10.59	Positive	SS-A antigen																																																																																																																																																						
10	Ro60	21.51	1.49	Negative																																																																																																																																																							
11	La	23.45	1.49	Negative																																																																																																																																																							
12	RNP-A	24.89	0.00	Negative																																																																																																																																																							
13	RNP-C	27.86	0.00	Negative																																																																																																																																																							
14	RNP-68	29.89	0.00	Negative																																																																																																																																																							
15	SmB	31.75	0.00	Negative																																																																																																																																																							
16	SmD	33.87	0.00	Negative																																																																																																																																																							
17	P0	36.91	0.00	Negative																																																																																																																																																							
18	PCNA	38.86	0.00	Negative																																																																																																																																																							
19	dsDNA	40.89	0.50	Negative																																																																																																																																																							
20	Histone	42.84	0.00	Negative																																																																																																																																																							
21	Nucleosom	46.31	1.00	Negative																																																																																																																																																							
22	DFS70	48.85	0.00	Negative																																																																																																																																																							
23	M2	51.90	0.00	Negative																																																																																																																																																							
ANA	Positive																																																																																																																																																										