



(Office use Only: M: 8888191235, 9373767574)

C.T.Scan | Sonography | Digital X-Ray | Colour Doppler | Pathology Lab & Hormonal Assays

Patient's Name:- Mrs. Uzma Jabin Syed Shoeb Ali	Age/sex: 33 Yrs/Female
Ref by: Dr. Suyoga Panat Mam	Date: 21/05/2024

TARGETED SCAN FOR FETAL ANOMALIES

LMP- 10/07/2023	GA By LMP - 18 weeks 06 days	EDD By LMP - 16/10/2024
	GA By CRL Scan - 18 weeks 04 days	EDD BY CRL Scan - 18/10/2024
	GA By USG - 18 weeks 06 days	EDD BY USG - 16/10/2024

Uterus shows a single gestational sac with a single foetus in it.

Cardiac pulsations are well seen.

Presentation	Changing
Placenta	Anterior
Liquor	Adequate
Fetal Heart Rate	144 b/min (Regular)

Cervical length is 3.8 cms. Os is closed.

Targeted Scan reveals :

Nuchal Fold	= 3.4 mms	Cord insertion	normal
Cerebellum	= 18.0 mms	3 Vessels	cord seen.
Cisterna magna	= 3.4 mms	Kidneys	= Normal
Lateral Ventricles	= 6.1 mms	Urinary Bladder	= Normal
Facial Structures	= Normal	Diaphragm	= Normal
Spine	= Normal	Bowel	= Normal
Upper extremities	= Normal	Stomach	= Normal
Lower extremities	= Normal	Four chambers	= Normal

No obvious mediastinal shift seen at present.

P.T.O.

Patient's Name:- Mrs. Uzma Jabin Syed Shoeb Ali Ref by: Dr. Suyoga Panat Mam	Age/sex: 33 Yrs/Female Date: 21/05/2024
---	--

Measured fetal parameters are as follows :

BPD	4.31 cm	19 weeks 00 days	71.6 Percentile
HC	15.99 cm	18 weeks 06 days	55.2 Percentile
AC	13.70 cm	19 weeks 01 day	65.5 Percentile
FL	2.73 cm	18 weeks 02 days	34.5 Percentile
E.F.W : 255 gm (+/- 39 gm) - (54 Percentile)			

Uterine artery screening doppler : Mean PI - 1.61

COMMENT :-

- Single live intrauterine gestation of 18-19 weeks.
- Fetal structures grossly appear normal.

Suggest : Follow up for cardiac, intracranial and facial details.

P.N. All measurements including estimated foetal weight, are subject to statistical variations.
Not all anomalies can be detected on sonography.



Dr. Neha H. Katey
MBBS,DMRE
Fellowship in Fetal Medicine
Certified by Fetal Medicine Foundation (UK)
FMF ID - 239478
Consultant Radiologist

- All anomalies cannot be ruled out by this single or multiple Sonography scan. Minor anomalies of foot, palm, eye, facial disfigurement can be missed on single or even by repeated scanning. Assessment of foetal anomalies depends on patients built, foetal position, liquor volume, months abdominal wall thickness, period with available organogenesis at that time and foetal movements at the time of scanning.

- This report is not a final conclusive diagnosis.

This Paper can not be used for medico-legal purpose. This investigation has been done as per advice of referring doctor. Sonography is operator dependent and facilities in machine dependent technique, findings may vary with other machine and its operator. Finding cast by ultrasound depend on various shadows produced by both abnormal and normal structures. Shadows of many diseases can look alike, hence may have limitations in interpretation of shadows. This paper is meant to assist referring doctor to have an idea of disease process if any. This report is to be correlated clinically and with other laboratory investigations. This report indicates only one of the various possibilities which to be confirmed with further investigations as required.



जरुर

हते

मोहन

गर्भ

दोष


SAMSUNG 3D/4D DIAMONDIC CON U7564
21052024-011514PM
18w4d 10.0cm 2146 [DB] P1022404 GND3 GND4 FAU FAU




SAMSUNG 3D/4D DIAMONDIC CON U7564
21052024-011514PM
18w4d 10.0cm 2146 [DB] P10227404 GND3 GND4 FAU FAU



SAMSUNG 3D/4D DIAMONDIC CON U7564
21052024-011514PM
18w4d 10.0cm 2146 [DB] P10227404 GND3 GND4 FAU FAU



SAMSUNG 3D/4D DIAMONDIC CON U7564
21052024-011514PM
18w4d 10.0cm 2146 [DB] P10227404 GND3 GND4 FAU FAU



SAMSUNG 3D/4D DIAMONDIC CON U7564
21052024-011514PM
18w4d 10.0cm 2146 [DB] P10227404 GND3 GND4 FAU FAU



SAMSUNG 3D/4D DIAMONDIC CON U7564
21052024-011514PM
18w4d 10.0cm 2146 [DB] P10227404 GND3 GND4 FAU FAU



SAMSUNG 3D/4D DIAMONDIC CON U7564
21052024-011514PM
18w4d 10.0cm 2146 [DB] P10227404 GND3 GND4 FAU FAU



SAMSUNG 3D/4D DIAMONDIC CON U7564
21052024-011514PM
18w4d 10.0cm 2146 [DB] P10227404 GND3 GND4 FAU FAU



Im, eye,
s
able

ng doctor
r machine
d normal
ows. This
l clinical
confirmed

