

Summary results

BLOT-LINE ANA

					Borderline area from 8.00 to 10.00										
Lot: A0216594 Performed by: VENNELA Evaluation time: 5/24/2024 10:49:21 AM					Borderline area from 8.00 to 10.00										
Scan image(1 - 20):															
	Sample no. 1	Sample no. 2	Sample no. 3	Sample no. 4 (+)	Sample no. 5	Sample no. 16	Sample no. 17	Sample no. 18	Sample no. 19	Sample no. 20					
															
Results(1 - 20):															
	Sample no. 1	Sample no. 2	Sample no. 3	Sample no. 4 (+)	Sample no. 5	Sample no. 16	Sample no. 17	Sample no. 18	Sample no. 19	Sample no. 20					
Description					Mr. M.MANOJ KUMAR		Mr. SHAH JAHAN								
IgG Control	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					
Jo-1	0.00[N]	0.00[N]	0.00[N]	0.50[N]	0.00[N]	0.50[N]	0.49[N]	1.01[N]	1.49[N]	1.02[N]					
PL-7	0.00[N]	1.43[N]	1.99[N]	0.50[N]	0.00[N]	0.50[N]	1.48[N]	0.50[N]	0.00[N]	1.02[N]					
PL-12	0.48[N]	1.43[N]	1.01[N]	1.49[N]	0.00[N]	1.00[N]	0.99[N]	1.51[N]	1.99[N]	1.02[N]					
PmScl	2.40[N]	2.86[N]	1.51[N]	0.00[N]	0.00[N]	0.00[N]	0.99[N]	0.00[N]	2.98[N]	0.00[N]					
CENP-A	1.45[N]	1.43[N]	0.00[N]	2.47[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.51[N]					
CENP-B	5.26[N]	1.43[N]	3.50[N]	0.50[N]	0.50[N]	0.00[N]	0.00[N]	0.00[N]	2.49[N]	0.00[N]					
Scl-70	0.49[N]	0.00[N]	1.01[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.01[N]	1.49[N]	1.02[N]					
Ro52	24.35[P]	56.48[P]	58.14[P]	37.82[P]	33.99[P]	0.50[N]	1.96[N]	1.52[N]	3.46[N]	0.00[N]					
Ro60	26.16[P]	3.33[N]	64.38[P]	46.37[P]	3.46[N]	0.00[N]	0.49[N]	0.00[N]	3.94[N]	1.02[N]					
La	0.00[N]	61.36[P]	62.12[P]	0.50[N]	0.00[N]	0.00[N]	0.00[N]	1.52[N]	0.50[N]	0.00[N]					
RNP-A	0.00[N]	2.38[N]	1.51[N]	0.00[N]	1.00[N]	1.49[N]	0.00[N]	0.00[N]	6.81[N]	1.02[N]					
RNP-C	2.90[N]	1.43[N]	0.00[N]	0.50[N]	1.00[N]	0.00[N]	0.00[N]	1.01[N]	0.50[N]	0.00[N]					
RNP-68	0.00[N]	2.85[N]	0.50[N]	0.50[N]	0.00[N]	0.00[N]	1.48[N]	0.00[N]	1.00[N]	0.00[N]					
SmB	0.49[N]	2.36[N]	1.01[N]	0.00[N]	1.00[N]	0.00[N]	1.48[N]	0.51[N]	0.00[N]	1.51[N]					
SmD	0.49[N]	3.79[N]	2.00[N]	0.50[N]	0.00[N]	1.49[N]	0.49[N]	0.51[N]	0.00[N]	0.00[N]					
P0	2.42[N]	6.59[N]	2.00[N]	1.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]					
PCNA	2.88[N]	1.87[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.49[N]	1.50[N]	1.00[N]	0.00[N]					
dsDNA	0.48[N]	2.34[N]	25.31[P]	1.99[N]	1.01[N]	1.49[N]	1.48[N]	1.51[N]	2.98[N]	3.50[N]					
Histone	1.45[N]	0.00[N]	9.27[B]	8.73[B]	0.00[N]	0.50[N]	1.47[N]	1.01[N]	1.49[N]	0.51[N]					
Nucleosom	3.37[N]	4.70[N]	10.21[P]	3.46[N]	10.18[P]	0.00[N]	6.27[N]	2.48[N]	3.93[N]	1.01[N]					
DFS70	0.49[N]	1.42[N]	0.00[N]	0.00[N]	0.51[N]	0.00[N]	0.49[N]	0.50[N]	0.00[N]	0.00[N]					
M2	0.49[N]	0.94[N]	0.50[N]	24.30[P]	2.01[N]	1.99[N]	0.00[N]	1.00[N]	0.00[N]	0.00[N]					
ANA	Positive	Positive	Positive	Positive	Positive	Negative	Negative	Negative	Negative	Negative					

Strips assigned (+) - In case of negative result of ANA and positive result of DFS70: low probability of SARD. In case of positive result of M2: potential risk of primary biliary cirrhosis progression.

The evaluation has been accomplished without calibration of the input image