

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A0637697                 |                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Mrs. NITU SAHAY</b>   | <b>03</b>                                                                                                                                                                                                                                                                                                                                                                                                                |
| Director:                | <div> <div>Panel:</div> <div>HLA-B27</div> </div> <div> <div>Acquired:</div> <div>05-06-24 15:20:00</div> </div> <div> <div>Analyzed:</div> <div>05-06-24 15:20:00</div> </div> <div> <div>Bead Lot ID:</div> <div>1231344/138</div> </div> <div> <div>Reagent Lot ID:</div> <div>1299249/146</div> </div> <div> <div>Operator:</div> <div>J. RAVI</div> </div> <div> <div>Results:</div> <div>01042022.csv</div> </div> |
| Column #1: 49 YRS/Female |                                                                                                                                                                                                                                                                                                                                                                                                                          |

BD FACSCanto II V33896202252

BD FACSCanto v.3.0.4894.41215

HLA-B27

Total Events: 27666



Reagent Lot ID: 1299249:146

|                       |                         |
|-----------------------|-------------------------|
| Gated Events          | 2671                    |
| Preset HLA-B27 Marker | 175                     |
| Sample HLA-B27 Median | 180                     |
| Conclusion            | HLA-B27 Positive Sample |

QC Messages

No quality control messages generated.

Comments