

Test results(19)

Ms. RENU BEYPI

Patient name:

BLOT-LINE ANA


Lot: A0581078

Performed by: RAVINDRA BABU

Evaluation time: 6/6/2024 11:27:03 AM

Borderline area from 8.00 to 10.00

Scan image(19) - Ms. RENU BEYPI



Results(19) - Ms. RENU BEYPI

| Band order | Band name   | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control | -3.89         | √             | √          |                          |
| 2          | Jo-1        | 2.71          | 0.50          | Negative   |                          |
| 3          | PL-7        | 4.74          | 0.00          | Negative   |                          |
| 4          | PL-12       | 6.60          | 0.50          | Negative   |                          |
| 5          | PmScl       | 9.74          | 0.00          | Negative   |                          |
| 6          | CENP-A      | 11.18         | 4.91          | Negative   |                          |
| 7          | CENP-B      | 13.72         | 0.00          | Negative   |                          |
| 8          | Scl-70      | 15.66         | 1.00          | Negative   |                          |
| 9          | Ro52        | 19.47         | 3.94          | Negative   |                          |
| 10         | Ro60        | 21.34         | 3.44          | Negative   |                          |
| 11         | La          | 22.86         | 5.38          | Negative   |                          |
| 12         | RNP-A       | 24.72         | 0.50          | Negative   |                          |
| 13         | RNP-C       | 27.69         | 0.50          | Negative   |                          |
| 14         | RNP-68      | 29.72         | 0.50          | Negative   |                          |
| 15         | SmB         | 31.67         | 0.00          | Negative   |                          |
| 16         | SmD         | 33.70         | 0.50          | Negative   |                          |
| 17         | P0          | 36.75         | 0.00          | Negative   |                          |
| 18         | PCNA        | 39.20         | 2.48          | Negative   |                          |
| 19         | dsDNA       | 41.23         | 3.46          | Negative   |                          |
| 20         | Histone     | 43.52         | 1.99          | Negative   |                          |
| 21         | Nucleosom   | 46.40         | 4.91          | Negative   |                          |
| 22         | DFS70       | 48.68         | 0.00          | Negative   |                          |
| 23         | M2          | 51.73         | 0.00          | Negative   |                          |
| ANA        | Negative    |               |               |            |                          |

The evaluation has been accomplished without calibration of the input image