


|                      |                                                                                                                                                                                                                                                      |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A0460685             |                                                                                                                                                                                                                                                      |
| Mr. RAJU KHARAT      | 03                                                                                                                                                                                                                                                   |
| Director:            | <div>Panel: HLA-B27</div> <div>Acquired: 30-07-2024 19:35:00</div> <div>Analyzed: 30-07-2024 19:35:00</div> <div>Bead Lot ID: 1231344/138</div> <div>Reagent Lot ID: 1299249:146</div> <div>Operator: J. RAVI</div> <div>Results: 01042022.csv</div> |
| Column#: 35 YRS/Male |                                                                                                                                                                                                                                                      |

BD FACSCanto II V33896202252

BD FACSCanto v.3.0.4894.41215

HLA-B27

Total Events: 10310



Reagent Lot ID:

|                       |                         |
|-----------------------|-------------------------|
| 1299249:146           |                         |
| Gated Events          | 1029                    |
| Preset HLA-B27 Marker | 120                     |
| Sample HLA-B27 Median | 61                      |
| 4Conclusion           | HLA-B27 Negative Sample |

QC Messages

No quality control messages generated.

Comments