


Test results(11)
Mr. AMIT NAYAK
Patient name:

BLOT-LINE ANA

Lot: A0776446
Performed by: MAHESH S
Evaluation time: 8/15/2024 12:15:27 PM
Borderline area from 8.00 to 10.00

Scan image(11) - Mr. AMIT NAYAK



Results(11) - Mr. AMIT NAYAK

Band order	Band name	Position (mm)	Intensity (%)	Evaluation	Antibodies found against
1	IgG Control	-3.73	√	√	
2	Jo-1	3.13	0.52	Negative	
3	PL-7	5.16	0.00	Negative	
4	PL-12	7.03	0.52	Negative	
5	PmScl	10.16	0.00	Negative	
6	CENP-A	12.11	0.00	Negative	
7	CENP-B	14.14	0.00	Negative	
8	Scl-70	16.09	0.52	Negative	
9	Ro52	19.47	1.03	Negative	
10	Ro60	21.17	0.00	Negative	
11	La	23.11	0.52	Negative	
12	RNP-A	25.15	0.00	Negative	
13	RNP-C	28.11	0.00	Negative	
14	RNP-68	30.48	1.03	Negative	
15	SmB	32.00	0.52	Negative	
16	SmD	34.12	0.00	Negative	
17	P0	37.17	0.52	Negative	
18	PCNA	39.12	0.00	Negative	
19	dsDNA	41.06	0.52	Negative	
20	Histone	43.01	0.00	Negative	
21	Nucleosom	46.48	1.55	Negative	
22	DFS70	49.11	0.52	Negative	
23	M2	52.15	0.00	Negative	
ANA	Negative				