


## Summary results

### BLOT-LINE ANA

Lot: A1224583  
 Performed by: VENNELA  
 Evaluation time: 8/29/2024 11:38:16 AM

Borderline area from 8.00 to 10.00

Scan image(1 - 10):



Results(1 - 10):

	Sample no. 1	Sample no. 2	Sample no. 3	Sample no. 4	Sample no. 5	Sample no. 6	Sample no. 7	Sample no. 8	Sample no. 9	Sample no. 10
Description						Mr. RAM PRAVESH TIWARY				
IgG Control	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
<b>Jo-1</b>	0.00[N]	0.00[N]	0.00[N]	1.04[N]	2.61[N]	3.65[N]	1.05[N]	0.00[N]	0.00[N]	1.02[N]
<b>PL-7</b>	0.00[N]	1.59[N]	0.00[N]	1.04[N]	0.52[N]	3.13[N]	1.05[N]	0.00[N]	0.00[N]	0.00[N]
<b>PL-12</b>	0.54[N]	2.12[N]	0.00[N]	2.08[N]	8.25[B]	0.00[N]	0.00[N]	1.50[N]	1.02[N]	1.52[N]
<b>PmScl</b>	3.71[N]	2.65[N]	3.20[N]	1.56[N]	1.57[N]	2.61[N]	1.05[N]	1.99[N]	0.51[N]	1.02[N]
<b>CENP-A</b>	<b>22.08[P]</b>	0.53[N]	0.00[N]	0.52[N]	0.00[N]	0.53[N]	0.53[N]	1.50[N]	0.51[N]	0.00[N]
<b>CENP-B</b>	0.54[N]	0.53[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
<b>Scl-70</b>	1.61[N]	1.06[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.50[N]	0.00[N]	0.00[N]
<b>Ro52</b>	1.61[N]	<b>21.50[P]</b>	0.00[N]	1.05[N]	3.64[N]	1.05[N]	0.00[N]	<b>32.08[P]</b>	0.51[N]	0.00[N]
<b>Ro60</b>	3.73[N]	0.00[N]	2.14[N]	0.00[N]	1.57[N]	0.00[N]	0.53[N]	<b>11.37[P]</b>	0.00[N]	0.00[N]
<b>La</b>	0.00[N]	0.00[N]	0.00[N]	2.60[N]	0.52[N]	0.00[N]	0.00[N]	3.99[N]	0.00[N]	0.00[N]
<b>RNP-A</b>	0.00[N]	0.00[N]	1.61[N]	9.78[B]	5.18[N]	0.00[N]	0.00[N]	<b>17.23[P]</b>	0.00[N]	0.00[N]
<b>RNP-C</b>	0.00[N]	0.53[N]	<b>44.49[P]</b>	<b>13.35[P]</b>	5.70[N]	0.53[N]	0.00[N]	<b>28.80[P]</b>	0.00[N]	0.00[N]
<b>RNP-68</b>	1.07[N]	1.59[N]	2.14[N]	<b>15.86[P]</b>	2.61[N]	1.58[N]	1.59[N]	4.50[N]	1.53[N]	1.02[N]
<b>SmB</b>	0.00[N]	2.64[N]	0.00[N]	3.66[N]	7.24[N]	0.53[N]	0.53[N]	<b>12.88[P]</b>	0.00[N]	1.02[N]
<b>SmD</b>	0.00[N]	2.13[N]	1.08[N]	4.19[N]	1.57[N]	0.53[N]	1.59[N]	4.99[N]	0.00[N]	0.00[N]
<b>P0</b>	0.00[N]	2.63[N]	0.54[N]	2.10[N]	1.57[N]	0.00[N]	0.00[N]	<b>45.42[P]</b>	1.02[N]	0.00[N]
<b>PCNA</b>	0.00[N]	3.16[N]	0.00[N]	0.00[N]	1.57[N]	0.53[N]	0.00[N]	0.00[N]	0.00[N]	1.02[N]
<b>dsDNA</b>	2.13[N]	2.63[N]	1.09[N]	7.79[N]	3.14[N]	2.11[N]	1.59[N]	1.01[N]	0.51[N]	1.02[N]
<b>Histone</b>	2.66[N]	1.05[N]	1.61[N]	<b>15.92[P]</b>	<b>21.32[P]!</b>	2.11[N]	2.12[N]	3.01[N]	1.03[N]	1.02[N]
<b>Nucleosom</b>	2.66[N]	<b>20.01[P]!</b>	1.09[N]	8.32[B]	<b>12.85[P]</b>	3.69[N]	2.65[N]	4.50[N]	0.51[N]	1.53[N]
<b>DFS70</b>	0.00[N]	0.00[N]	0.00[N]	0.00[N]	3.13[N]	0.00[N]	0.00[N]	1.51[N]	0.00[N]	0.00[N]
<b>M2</b>	0.00[N]	1.07[N]	0.00[N]	0.00[N]	3.13[N]	0.00[N]	0.00[N]	0.50[N]	0.00[N]	0.00[N]
<b>ANA</b>	<b>Positive</b>	<b>Positive</b>	<b>Positive</b>	<b>Positive</b>	<b>Positive</b>	Negative	Negative	<b>Positive</b>	Negative	Negative

Check the assignment of bands marked [!] because of a possible interference with the strip background or unclear band interpretation

					Summary results <b>BLOT-LINE ANA</b>						
Lot: A1224583 Performed by: VENNELA Evaluation time: 8/29/2024 11:38:16 AM					Borderline area from 8.00 to 10.00						
Scan image(11 - 20):											
	Sample no. 11	Sample no. 12	Sample no. 13	Sample no. 14	Sample no. 15	Sample no. 16	Sample no. 17	Sample no. 18	Sample no. 19	Sample no. 20	
											
Results(11 - 20):											
	Sample no. 11	Sample no. 12	Sample no. 13	Sample no. 14	Sample no. 15	Sample no. 16	Sample no. 17	Sample no. 18	Sample no. 19	Sample no. 20	
<b>Description</b>	Mr. UMESH SINGH RAJPUT										
<b>IgG Control</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
<b>Jo-1</b>	1.55[N]	1.04[N]	0.00[N]	0.00[N]	0.54[N]	1.08[N]	0.00[N]	0.00[N]	0.00[N]	8.82[B]	
<b>PL-7</b>	0.52[N]	0.00[N]	0.00[N]	0.00[N]	0.54[N]	0.00[N]	1.07[N]	1.60[N]	0.52[N]	0.53[N]	
<b>PL-12</b>	0.52[N]	0.00[N]	0.53[N]	0.00[N]	0.54[N]	0.00[N]	0.54[N]	0.00[N]	3.09[N]	1.06[N]	
<b>PmScl</b>	0.00[N]	0.00[N]	0.53[N]	0.54[N]	0.00[N]	8.42[B]	1.08[N]	2.13[N]	1.03[N]	1.59[N]	
<b>CENP-A</b>	0.00[N]	0.52[N]	0.00[N]	5.30[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.55[N]	0.53[N]	
<b>CENP-B</b>	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	2.13[N]	0.00[N]	0.00[N]	1.03[N]	0.00[N]	
<b>Scl-70</b>	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.61[N]	1.08[N]	0.00[N]	3.08[N]	0.00[N]	
<b>Ro52</b>	0.00[N]	0.00[N]	0.00[N]	<b>18.05[P]</b>	<b>25.50[P]</b>	0.00[N]	<b>18.12[P]</b>	0.00[N]	1.03[N]	1.06[N]	
<b>Ro60</b>	0.00[N]	0.00[N]	1.05[N]	8.92[B]	<b>29.92[P]</b>	1.08[N]	2.68[N]	<b>20.05[P]</b>	1.03[N]	9.37[B]	
<b>La</b>	0.00[N]	0.00[N]	0.00[N]	<b>39.15[P]</b>	0.54[N]	3.75[N]	0.00[N]	2.13[N]	3.08[N]	1.06[N]	
<b>RNP-A</b>	0.52[N]	0.00[N]	0.00[N]	2.14[N]	0.00[N]	5.34[N]	0.00[N]	<b>59.55[P]</b>	0.00[N]	<b>53.83[P]</b>	
<b>RNP-C</b>	0.52[N]	1.04[N]	1.58[N]	2.14[N]	0.00[N]	0.00[N]	0.00[N]	<b>52.41[P]</b>	0.52[N]	<b>29.83[P]</b>	
<b>RNP-68</b>	0.00[N]	1.04[N]	1.58[N]	1.60[N]	1.07[N]	<b>16.65[P]</b>	1.61[N]	<b>33.77[P]</b>	1.03[N]	6.28[N]	
<b>SmB</b>	0.00[N]	0.00[N]	0.53[N]	0.54[N]	0.00[N]	6.89[N]	0.00[N]	3.72[N]	0.52[N]	0.53[N]	
<b>SmD</b>	0.00[N]	0.52[N]	0.00[N]	1.07[N]	0.00[N]	<b>12.05[P]</b>	0.00[N]	0.54[N]	0.52[N]	1.06[N]	
<b>P0</b>	0.00[N]	0.00[N]	0.00[N]	1.07[N]	0.00[N]	<b>60.22[P]</b>	0.00[N]	1.60[N]	0.52[N]	0.00[N]	
<b>PCNA</b>	0.52[N]	0.00[N]	0.53[N]	0.00[N]	1.07[N]	1.61[N]	2.14[N]	1.07[N]	2.06[N]	1.06[N]	
<b>dsDNA</b>	0.00[N]	1.04[N]	1.05[N]	1.07[N]	1.60[N]	<b>25.01[P]</b>	0.00[N]	2.66[N]	1.55[N]	1.05[N]	
<b>Histone</b>	0.00[N]	1.04[N]	1.05[N]	0.00[N]	1.60[N]	<b>47.30[P]</b>	0.00[N]	2.66[N]	0.52[N]	2.63[N]	
<b>Nucleosom</b>	1.03[N]	2.08[N]	2.62[N]	1.60[N]	1.60[N]	<b>29.92[P]</b>	4.75[N]	3.19[N]	<b>80.15[P]</b>	3.67[N]	
<b>DFS70</b>	0.00[N]	0.00[N]	0.00[N]	0.54[N]	0.00[N]	2.67[N]	3.20[N]	1.07[N]	1.03[N]	1.58[N]	
<b>M2</b>	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.53[N]	0.54[N]	1.07[N]	0.00[N]	0.52[N]	1.59[N]	
<b>ANA</b>	Negative	Negative	Negative	<b>Positive</b>							