


|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A0971627                 |                                                                                                                                                                                                                                                               |
| <b>Mrs. ROHINI MANE</b>  | <b>13</b>                                                                                                                                                                                                                                                     |
| Director:                | <div> <div>Panel: HLA-B27</div> <div>Acquired: 31-08-24 19:20:00</div> <div>Analyzed: 31-08-24 19:20:00</div> <div>Bead Lot ID: 1231344/138</div> <div>Reagent Lot ID: 1299249/146</div> <div>Operator: J. RAVI</div> <div>Results: 01042022.csv</div> </div> |
| Column #1: 24 YRS/Female |                                                                                                                                                                                                                                                               |

BD FACSCanto II V33896202252

BD FACSCanto v.3.0.4894.41215

HLA-B27

Total Events: 25200



Reagent Lot ID: 1299249:146

|                       |                         |
|-----------------------|-------------------------|
| Gated Events          | 2516                    |
| Preset HLA-B27 Marker | 163                     |
| Sample HLA-B27 Median | 165                     |
| Conclusion            | HLA-B27 Positive Sample |

QC Messages

No quality control messages generated.

Comments