

					Summary results BLOT-LINE ANA										
Lot: A1600556 Performed by: RAVINDRA BABU Evaluation time: 10/30/2024 8:19:38 PM				Borderline area from 8.00 to 10.00											
Scan image(1 - 16):															
	Sample no. 1	Sample no. 2	Sample no. 3	Sample no. 5 (#+)	Sample no. 6	Sample no. 7	Sample no. 8	Sample no. 9	Sample no. 10	Sample no. 11	Sample no. 12	Sample no. 13	Sample no. 14	Sample no. 15	Sample no. 16
															
Results(1 - 16):															
	Sample no. 1	Sample no. 2	Sample no. 3	Sample no. 5 (#+)	Sample no. 6	Sample no. 7	Sample no. 8	Sample no. 9	Sample no. 10	Sample no. 11	Sample no. 12	Sample no. 13	Sample no. 14	Sample no. 15	Sample no. 16
Description															
IgG Control	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Jo-1	0.00[N]	3.18[N]	0.00[N]	34.01[P]	1.97[N]	3.08[N]	0.50[N]	0.00[N]	0.00[N]	0.53[N]					
PL-7	0.53[N]	1.07[N]	3.20[N]	46.11[P]	5.90[N]	1.54[N]	5.48[N]	1.01[N]	1.02[N]	0.00[N]					
PL-12	0.54[N]	0.00[N]	1.61[N]	0.00[N]	1.98[N]	1.55[N]	1.51[N]	1.52[N]	0.51[N]	0.00[N]					
PmScl	3.72[N]	2.66[N]	3.73[N]	0.00[N]	1.49[N]	5.15[N]	7.00[N]	3.54[N]	4.04[N]	1.06[N]					
CENP-A	93.00[P]	25.01[P]	0.00[N]	2.58[N]	7.87[N]	0.52[N]	0.50[N]	0.00[N]	0.00[N]	0.00[N]					
CENP-B	96.69[P]	48.19[P]	0.00[N]	10.20[P]	4.93[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]					
Scl-70	0.54[N]	0.54[N]	2.14[N]	45.16[P]	21.84[P]	0.00[N]	3.02[N]	0.00[N]	0.51[N]	0.00[N]					
Ro52	0.54[N]	1.60[N]	29.48[P]	0.52[N]	2.96[N]	1.04[N]	0.51[N]	0.00[N]	39.93[P]	1.59[N]					
Ro60	0.00[N]	6.33[N]	58.08[P]	5.64[N]	0.00[N]	0.00[N]	2.02[N]	2.54[N]	73.46[P]	1.06[N]					
La	1.07[N]	0.00[N]	47.24[P]	4.61[N]	1.48[N]	0.00[N]	0.00[N]	0.00[N]	77.21[P]	0.53[N]					
RNP-A	0.54[N]	0.00[N]	23.48[P]	1.55[N]	0.99[N]	0.52[N]	0.00[N]	37.22[P]	41.35[P]	2.63[N]					
RNP-C	1.61[N]	1.60[N]	10.97[P]	0.00[N]	2.96[N]	1.56[N]	0.00[N]	37.69[P]	26.14[P]	0.00[N]					
RNP-68	0.00[N]	1.06[N]	23.61[P]	2.58[N]	0.99[N]	2.08[N]	1.02[N]	46.29[P]	18.42[P]	0.53[N]					
SmB	0.00[N]	6.27[N]	1.08[N]	0.52[N]	0.00[N]	0.00[N]	0.00[N]	3.57[N]	1.02[N]	0.53[N]					
SmD	0.00[N]	0.00[N]	6.35[N]	0.52[N]	1.98[N]	1.56[N]	0.00[N]	0.51[N]	0.00[N]	0.00[N]					
P0	0.00[N]	3.66[N]	0.00[N]	1.03[N]	0.49[N]	0.52[N]	0.00[N]	0.51[N]	6.08[N]	0.00[N]					
PCNA	0.00[N]	2.65[N]	0.00[N]	0.52[N]	4.48[N]	0.00[N]	0.51[N]	0.00[N]	1.02[N]	0.00[N]					
dsDNA	1.07[N]	2.63[N]	1.61[N]	0.00[N]	0.00[N]	6.20[N]	1.02[N]	1.03[N]	1.02[N]	0.00[N]					
Histone	0.00[N]	1.58[N]	0.54[N]	0.00[N]	3.98[N]	8.24[B]	1.02[N]	1.03[N]	1.02[N]	0.00[N]					
Nucleosom	2.14[N]	2.67[N]	1.61[N]	1.55[N]	3.46[N]	15.28[P]	3.55[N]	1.54[N]	1.53[N]	1.06[N]					
DFS70	0.00[N]	1.61[N]	1.08[N]	53.19[P]	1.48[N]	0.52[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]					
M2	0.00[N]	0.00[N]	0.00[N]	0.00[N]	3.45[N]	0.00[N]	2.03[N]	0.00[N]	0.00[N]	1.06[N]					
ANA	Positive	Negative	Positive	Positive	Negative										

Strips assigned (+) - In case of negative result of ANA and positive result of DFS70: low probability of SARD. In case of positive result of M2: potential risk of primary biliary cirrhosis progression.

Strips assigned (#) - Control line located incorrectly, SW evaluation result is not valid

Summary results

BLOT-LINE ANA

					Summary results BLOT-LINE ANA							
Lot: A1600556 Performed by: RAVINDRA BABU Evaluation time: 10/30/2024 8:19:38 PM					Borderline area from 8.00 to 10.00							
Scan image(17 - 20):												
	Sample no. 17	Sample no. 18	Sample no. 19	Sample no. 20								
Results(17 - 20):												
	Sample no. 17	Sample no. 18	Sample no. 19	Sample no. 20								
Description				Mrs. SOPHIYA								
IgG Control	✓	✓	✓	✓								
Jo-1	0.52[N]	0.54[N]	1.07[N]	0.53[N]								
PL-7	0.00[N]	4.26[N]	1.07[N]	1.07[N]								
PL-12	1.56[N]	0.00[N]	0.54[N]	0.00[N]								
PmScl	0.00[N]	0.54[N]	1.60[N]	4.24[N]								
CENP-A	0.00[N]	1.08[N]	1.60[N]	0.00[N]								
CENP-B	1.05[N]	0.00[N]	0.00[N]	1.61[N]								
Scl-70	1.57[N]	0.00[N]	0.54[N]	0.00[N]								
Ro52	0.00[N]	0.54[N]	3.73[N]	0.00[N]								
Ro60	3.13[N]	0.00[N]	0.00[N]	0.00[N]								
La	0.53[N]	0.00[N]	1.61[N]	0.00[N]								
RNP-A	0.00[N]	0.00[N]	1.61[N]	0.00[N]								
RNP-C	1.05[N]	0.54[N]	0.54[N]	0.00[N]								
RNP-68	1.05[N]	1.62[N]	1.07[N]	1.07[N]								
SmB	0.53[N]	0.54[N]	1.07[N]	0.00[N]								
SmD	0.00[N]	0.54[N]	1.07[N]	0.00[N]								
P0	1.05[N]	0.00[N]	0.54[N]	0.00[N]								
PCNA	0.00[N]	0.00[N]	0.54[N]	0.00[N]								
dsDNA	0.52[N]	1.08[N]	2.66[N]	1.61[N]								
Histone	1.57[N]	0.54[N]	2.66[N]	1.61[N]								
Nucleosom	2.61[N]	1.61[N]	2.13[N]	2.67[N]								
DFS70	0.52[N]	1.08[N]	0.54[N]	2.14[N]								
M2	0.00[N]	0.54[N]	0.00[N]	0.00[N]								
ANA	Negative	Negative	Negative	Negative								
Strips assigned (+) - In case of negative result of ANA and positive result of DFS70: low probability of SARD. In case of positive result of M2: potential risk of primary biliary cirrhosis progression.												
Strips assigned (#) - Control line located incorrectly, SW evaluation result is not valid												