


Summary results

BLOT-LINE ANA

Lot: a1330046
 Performed by: RAVINDRA BABU
 Evaluation time: 10/31/2024 1:41:32 PM

Borderline area from 8.00 to 10.00

Scan image(1 - 15):



Results(1 - 15):

	Sample no. 1	Sample no. 2	Sample no. 3	Sample no. 5 (#+)	Sample no. 6	Sample no. 8	Sample no. 9	Sample no. 10	Sample no. 14	Sample no. 15
Description										Mrs. RAJSHREE ROUT
IgG Control	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Jo-1	0.00[N]	3.18[N]	0.00[N]	32.60[P]	1.97[N]	0.50[N]	0.00[N]	1.02[N]	0.00[N]	4.21[N]
PL-7	0.54[N]	0.53[N]	3.20[N]	44.64[P]	5.41[N]	5.47[N]	1.01[N]	0.51[N]	1.06[N]	1.06[N]
PL-12	0.54[N]	0.00[N]	2.14[N]	1.04[N]	0.49[N]	1.50[N]	1.52[N]	1.01[N]	0.00[N]	0.00[N]
PmScl	0.00[N]	2.66[N]	2.67[N]	3.60[N]	1.49[N]	1.51[N]	0.51[N]	4.03[N]	4.72[N]	3.14[N]
CENP-A	94.85[P]	24.52[P]	0.00[N]	2.58[N]	7.87[N]	12.43[P]	1.02[N]	1.02[N]	1.06[N]	7.85[N]
CENP-B	97.15[P]!	47.72[P]	0.00[N]	9.19[B]	5.42[N]	0.50[N]	1.02[N]	0.00[N]	0.00[N]	0.00[N]
Scl-70	1.07[N]	0.54[N]	1.61[N]	45.20[P]	21.86[P]	3.01[N]	0.00[N]	0.00[N]	1.59[N]	4.74[N]
Ro52	0.00[N]	2.14[N]	29.53[P]	1.04[N]	2.96[N]	0.50[N]	1.52[N]	43.82[P]	14.94[P]	0.00[N]
Ro60	0.00[N]	0.00[N]	58.61[P]	5.63[N]	0.00[N]	1.01[N]	1.52[N]	50.18[P]	0.00[N]	1.06[N]
La	1.07[N]	0.00[N]	46.76[P]	6.13[N]	0.49[N]	1.01[N]	0.00[N]	51.58[P]	24.43[P]	0.00[N]
RNP-A	0.00[N]	0.00[N]	24.06[P]	2.07[N]	0.99[N]	0.00[N]	36.20[P]	42.33[P]	0.00[N]	39.52[P]
RNP-C	1.07[N]	0.00[N]	10.99[P]	0.00[N]	1.98[N]	0.00[N]	37.15[P]	26.62[P]	0.53[N]	32.17[P]
RNP-68	0.00[N]	1.60[N]	23.12[P]	2.07[N]	0.00[N]	1.01[N]	45.23[P]	18.42[P]	1.07[N]	57.60[P]
SmB	1.07[N]	0.53[N]	1.08[N]	0.00[N]	0.00[N]	0.00[N]	3.55[N]	1.52[N]	0.53[N]	1.59[N]
SmD	0.00[N]	5.25[N]	6.37[N]	0.52[N]	2.47[N]	1.02[N]	1.02[N]	0.00[N]	0.53[N]	0.00[N]
P0	0.00[N]	1.06[N]	0.00[N]	1.03[N]	0.50[N]	0.51[N]	1.53[N]	6.08[N]	0.00[N]	0.00[N]
PCNA	0.00[N]	2.13[N]	0.00[N]	1.03[N]	3.98[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
dsDNA	1.61[N]	3.70[N]	1.08[N]	0.00[N]	0.50[N]	0.51[N]	1.02[N]	1.02[N]	1.59[N]	1.60[N]
Histone	0.54[N]	1.60[N]	0.00[N]	0.00[N]	3.49[N]	1.02[N]	1.03[N]	1.02[N]	1.06[N]	0.53[N]
Nucleosom	1.61[N]	2.67[N]	1.08[N]	1.03[N]	3.46[N]	3.54[N]	1.54[N]	1.02[N]	2.64[N]	2.13[N]
DFS70	0.00[N]	0.00[N]	0.00[N]	54.18[P]	0.49[N]	0.00[N]	1.03[N]	0.00[N]	1.58[N]	0.00[N]
M2	0.54[N]	1.61[N]	0.00[N]	0.00[N]	3.45[N]	2.03[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
ANA	Positive	Positive	Positive	Positive	Positive	Positive	Positive	Positive	Positive	Positive

Strips assigned (+) - In case of negative result of ANA and positive result of DFS70: low probability of SARD. In case of positive result of M2: potential risk of primary biliary cirrhosis progression.

Strips assigned (#) - Control line located incorrectly, SW evaluation result is not valid

Check the assignment of bands marked (!) because of a possible interference with the strip background or unclear band interpretation

Summary results

BLOT-LINE ANA


Lot: a1330046

Performed by:

RAVINDRA BABU
Evaluation time: 10/31/2024 1:41:32 PM

Borderline area from 8.00 to 10.00

Scan image(16 - 19):



Results(16 - 19):

	Sample no. 16	Sample no. 17	Sample no. 18	Sample no. 19							
Description											
IgG Control	✓	✓	✓	✓							
Jo-1	0.00[N]	0.52[N]	0.54[N]	1.07[N]							
PL-7	0.53[N]	0.00[N]	1.61[N]	0.54[N]							
PL-12	0.00[N]	2.09[N]	0.00[N]	1.07[N]							
PmScl	0.00[N]	1.05[N]	0.54[N]	1.60[N]							
CENP-A	0.00[N]	0.52[N]	0.00[N]	1.07[N]							
CENP-B	0.53[N]	0.00[N]	0.00[N]	0.00[N]							
Scl-70	0.00[N]	1.05[N]	0.00[N]	2.13[N]							
Ro52	1.60[N]	0.00[N]	0.54[N]	3.73[N]							
Ro60	0.53[N]	3.13[N]	0.00[N]	0.00[N]							
La	0.00[N]	0.53[N]	0.00[N]	1.61[N]							
RNP-A	2.65[N]	0.00[N]	0.54[N]	1.07[N]							
RNP-C	1.06[N]	1.05[N]	1.08[N]	0.54[N]							
RNP-68	2.12[N]	1.58[N]	1.62[N]	3.71[N]							
SmB	0.53[N]	1.05[N]	0.54[N]	0.53[N]							
SmD	0.00[N]	0.00[N]	0.00[N]	1.07[N]							
P0	0.00[N]	0.53[N]	0.00[N]	0.00[N]							
PCNA	0.53[N]	0.00[N]	0.54[N]	0.00[N]							
dsDNA	1.06[N]	1.05[N]	1.08[N]	3.72[N]							
Histone	0.53[N]	1.57[N]	1.08[N]	2.13[N]							
Nucleosom	1.59[N]	2.09[N]	1.61[N]	2.66[N]							
DFS70	0.53[N]	0.00[N]	1.08[N]	0.00[N]							
M2	0.53[N]	0.00[N]	0.00[N]	1.07[N]							
ANA	Negative	Negative	Negative	Negative							

Strips assigned (+) - In case of negative result of ANA and positive result of DFS70: low probability of SARD. In case of positive result of M2: potential risk of primary biliary cirrhosis progression.

Strips assigned (#) - Control line located incorrectly, SW evaluation result is not valid