

Test results(19)

Mr. BAGWAN JILANI

Patient name:

BLOT-LINE ANA


Lot: A1005357

Performed by: RAVINDRA BABU

Evaluation time: 1/20/2025 8:38:20 PM

Borderline area from 8.00 to 10.00

Scan image(19) - Mr. BAGWAN JILANI



Results(19) - Mr. BAGWAN JILANI

| Band order | Band name   | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control | -3.13         | √             | √          |                          |
| 2          | Jo-1        | 3.47          | 0.00          | Negative   |                          |
| 3          | PL-7        | 5.50          | 0.00          | Negative   |                          |
| 4          | PL-12       | 7.45          | 0.00          | Negative   |                          |
| 5          | PmScl       | 10.41         | 0.53          | Negative   |                          |
| 6          | CENP-A      | 13.21         | 1.05          | Negative   |                          |
| 7          | CENP-B      | 14.99         | 2.11          | Negative   |                          |
| 8          | Scl-70      | 17.36         | 1.06          | Negative   |                          |
| 9          | Ro52        | 19.39         | 1.05          | Negative   |                          |
| 10         | Ro60        | 21.51         | 0.00          | Negative   |                          |
| 11         | La          | 24.21         | 1.06          | Negative   |                          |
| 12         | RNP-A       | 25.32         | 3.68          | Negative   |                          |
| 13         | RNP-C       | 28.62         | 1.06          | Negative   |                          |
| 14         | RNP-68      | 30.90         | 1.05          | Negative   |                          |
| 15         | SmB         | 32.43         | 0.00          | Negative   |                          |
| 16         | SmD         | 34.46         | 0.00          | Negative   |                          |
| 17         | P0          | 37.51         | 0.00          | Negative   |                          |
| 18         | PCNA        | 39.45         | 0.00          | Negative   |                          |
| 19         | dsDNA       | 42.08         | 1.58          | Negative   |                          |
| 20         | Histone     | 43.43         | 0.53          | Negative   |                          |
| 21         | Nucleosom   | 47.24         | 38.94         | Positive   |                          |
| 22         | DFS70       | 49.45         | 0.00          | Negative   |                          |
| 23         | M2          | 52.49         | 0.00          | Negative   |                          |
| ANA        | Positive    |               |               |            |                          |

The evaluation has been accomplished without calibration of the input image