

PRISCA 5.1.0.17

Licenced for: Sage Path Labs Pvt Ltd

Plot No. 564, First Floor, Buddanagar, Peerzadiguda, Boduppal, Hyderabad  
Telangana - 500092

Result Down's syndrome screening


Name	Mrs. RUTUJA KSHIRSAGAR	Sample no	A0337312	IVF	no
Patient ID	0672502030177	Weight	53 kg	Smoking	no
Doctor	NA	Fetuses	1	diabetes	no
		Birthday	25-09-1999	Ethnic origin	Asian
		Age at delivery	25.8	Day of serum taking	03-02-2025
		Previous trisomy 21 pregnancies	unknown	Date of report:	05-02-2025

Corrected MoM's and calculated risks

AFP	36.35 ng/mL	0.77	Corr. MoM
HCG	25222 mIU/mL	1.01	Corr. MoM
uE3	0.85 ng/mL	0.98	Corr. MoM
Inh-A	204.16 IU/ml	0.93	Corr. MoM

Ultra sound data

Day of ultra sound	03-01-2025	Nuchal translucency	1.7 mm
CRL	70 mm	Nasal bone	unknown
Gestational age by CRL	13 + 0	Measured by	NA
Gestation age on the day of serum taking	17 + 3	Qualifications in measuring NT	MD



Biochem. risk + NT  
at term

<1:10000

Age risk  
at term

1:1333

TRISOMY 18 SCREENING

The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

NEURAL TUBE DEFECTS (NTD) SCREENING

The corrected MoM AFP (0.77) is located in the low risk area for neural tube defects.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).

The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

below cut off

Below Cut Off, but above Age Risk

above cut off