


**Test results(17)**  
**Mrs. NAMITA PATTNAIK**  
**Patient name:**

**BLOT-LINE ANA**

|                                                                                                      |                                           |
|------------------------------------------------------------------------------------------------------|-------------------------------------------|
| <b>Lot:</b> A1323319<br><b>Performed by:</b> VIJAYA<br><b>Evaluation time:</b> 2/10/2025 11:32:59 AM | <b>Borderline area from 8.00 to 10.00</b> |
|------------------------------------------------------------------------------------------------------|-------------------------------------------|

**Scan image(17) - Mrs. NAMITA PATTNAIK**



**Results(17) - Mrs. NAMITA PATTNAIK**

| Band order | Band name       | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-----------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control     | -3.39         | √             | √          |                          |
| 2          | Jo-1            | 2.96          | 1.05          | Negative   |                          |
| 3          | PL-7            | 5.16          | 0.00          | Negative   |                          |
| 4          | PL-12           | 7.20          | 0.00          | Negative   |                          |
| 5          | PmScl           | 10.24         | 0.53          | Negative   |                          |
| 6          | CENP-A          | 12.19         | 0.53          | Negative   |                          |
| 7          | CENP-B          | 14.14         | 1.05          | Negative   |                          |
| 8          | Scl-70          | 16.26         | 1.58          | Negative   |                          |
| 9          | Ro52            | 19.13         | 0.00          | Negative   |                          |
| 10         | Ro60            | 21.25         | 0.00          | Negative   |                          |
| 11         | La              | 23.20         | 0.00          | Negative   |                          |
| 12         | RNP-A           | 25.23         | 0.00          | Negative   |                          |
| 13         | RNP-C           | 29.04         | 1.05          | Negative   |                          |
| 14         | RNP-68          | 30.73         | 1.57          | Negative   |                          |
| 15         | SmB             | 32.17         | 0.00          | Negative   |                          |
| 16         | SmD             | 34.12         | 0.00          | Negative   |                          |
| 17         | P0              | 37.17         | 0.53          | Negative   |                          |
| 18         | PCNA            | 39.12         | 0.00          | Negative   |                          |
| 19         | dsDNA           | 41.91         | 2.10          | Negative   |                          |
| 20         | Histone         | 43.10         | 0.53          | Negative   |                          |
| 21         | Nucleosom       | 46.99         | 2.09          | Negative   |                          |
| 22         | DFS70           | 49.19         | 0.00          | Negative   |                          |
| 23         | M2              | 52.92         | 1.05          | Negative   |                          |
| <b>ANA</b> | <b>Negative</b> |               |               |            |                          |

The evaluation has been accomplished without calibration of the input image