

PRISCA 5.1.0.17

Licenced for: Sage Path Labs Pvt Ltd

Plot No. 564, First Floor, Buddanagar, Peerzadiguda, Boduppal, Hyderabad
Telangana - 500092

Result Down's syndrome screening


Name	Mrs. VAISHALI PAWAF	Sample no	A0422045	IVF	no
		Weight	42 kg	Smoking	no
Patient ID	0372502140071	Fetuses	1	diabetes	no
		Birthday	02-05-2003	Ethnic origin	Asian
Doctor	NA	Age at delivery	22.3	Day of serum taking	14-02-2025
		Previous trisomy 21 pregnancies	unknown	Date of report:	15-02-2025

Corrected MoM's and calculated risks

AFP	18 ng/mL	0.52	Corr. MoM
HCG	84359.3 mIU/mL	1.61	Corr. MoM
uE3	0.36 ng/mL	1.11	Corr. MoM
Inh-A	246.69 IU/ml	0.84	Corr. MoM

Ultra sound data

Day of ultra sound	01-02-2025	Nuchal translucency	1.2 mm
			0.74 MoM
CRL	63.3 mm	Nasal bone	unknown
Gestational age by CRL	12 + 4	Measured by	NA
Gestation age on the day of serum taking	14 + 3	Qualifications in measuring NT	MD



Biochem. risk + NT
at term

<1:10000

Age risk
at term

1:1487

TRISOMY 18 SCREENING

The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

NEURAL TUBE DEFECTS (NTD) SCREENING

The corrected MoM AFP (0.52) is located in the low risk area for neural tube defects.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).

The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

below cut off

Below Cut Off, but above Age Risk

above cut off