


**Test results(12)****Miss. N.PAVANI****Patient name:****BLOT-LINE ANA****Lot:** A2143302**Performed by:** MAHESH S  
**Evaluation time:** 2/17/2025 11:37:03 AM**Borderline area from 8.00 to 10.00****Scan image(12) - Miss. N.PAVANI****Results(12) - Miss. N.PAVANI**

| Band order | Band name       | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-----------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control     | -3.47         | √             | √          |                          |
| 2          | Jo-1            | 3.22          | 0.00          | Negative   |                          |
| 3          | PL-7            | 5.16          | 0.00          | Negative   |                          |
| 4          | PL-12           | 7.20          | 0.00          | Negative   |                          |
| 5          | PmScl           | 10.24         | 0.00          | Negative   |                          |
| 6          | CENP-A          | 12.19         | 0.00          | Negative   |                          |
| 7          | CENP-B          | 14.22         | 0.00          | Negative   |                          |
| 8          | Scl-70          | 16.17         | 0.52          | Negative   |                          |
| 9          | Ro52            | 19.56         | 1.04          | Negative   |                          |
| 10         | Ro60            | 21.25         | 0.52          | Negative   |                          |
| 11         | La              | 22.86         | 1.04          | Negative   |                          |
| 12         | RNP-A           | 25.23         | 0.00          | Negative   |                          |
| 13         | RNP-C           | 27.77         | 1.55          | Negative   |                          |
| 14         | RNP-68          | 30.65         | 1.04          | Negative   |                          |
| 15         | SmB             | 32.17         | 0.52          | Negative   |                          |
| 16         | SmD             | 34.12         | 0.52          | Negative   |                          |
| 17         | P0              | 37.17         | 0.00          | Negative   |                          |
| 18         | PCNA            | 39.12         | 0.52          | Negative   |                          |
| 19         | dsDNA           | 41.74         | 2.59          | Negative   |                          |
| 20         | Histone         | 43.10         | 0.00          | Negative   |                          |
| 21         | Nucleosom       | 46.82         | 1.04          | Negative   |                          |
| 22         | DFS70           | 49.19         | 0.00          | Negative   |                          |
| 23         | M2              | 52.24         | 0.52          | Negative   |                          |
| <b>ANA</b> | <b>Negative</b> |               |               |            |                          |

The evaluation has been accomplished without calibration of the input image