


Test results(13)
Mr. AYENDRA PRASAD TRIPATHI
Patient name:

BLOT-LINE ANA

Lot: A1517220
Performed by: VIJAYA
Evaluation time: 2/25/2025 10:30:33 AM

Borderline area from 8.00 to 10.00

Scan image(13) - Mr. AYENDRA PRASAD TRIPATHI



Results(13) - Mr. AYENDRA PRASAD TRIPATHI

Band order	Band name	Position (mm)	Intensity (%)	Evaluation	Antibodies found against
1	IgG Control	-3.47	√	√	
2	Jo-1	3.73	1.02	Negative	
3	PL-7	5.25	0.00	Negative	
4	PL-12	7.20	0.51	Negative	
5	PmScl	11.09	1.53	Negative	
6	CENP-A	12.19	1.02	Negative	
7	CENP-B	13.29	1.02	Negative	
8	Scl-70	16.17	1.53	Negative	
9	Ro52	19.56	1.02	Negative	
10	Ro60	21.76	1.53	Negative	
11	La	23.20	0.00	Negative	
12	RNP-A	25.23	0.00	Negative	
13	RNP-C	28.19	0.51	Negative	
14	RNP-68	30.23	0.00	Negative	
15	SmB	32.17	0.00	Negative	
16	SmD	34.12	0.00	Negative	
17	P0	37.17	0.00	Negative	
18	PCNA	39.12	0.00	Negative	
19	dsDNA	40.98	1.54	Negative	
20	Histone	42.76	2.05	Negative	
21	Nucleosom	46.23	1.03	Negative	
22	DFS70	49.19	0.52	Negative	
23	M2	52.24	0.52	Negative	
ANA	Negative				

The evaluation has been accomplished without calibration of the input image