

## Summary results

### BLOT-LINE ANA


**Lot:** A1923675

**Performed by:**

**Evaluation time:** VIJAYA  
2/27/2025 11:49:49 AM

**Borderline area from 8.00 to 10.00**

**Scan image(1 - 20):**



**Results(1 - 20):**

	Sample no. 1	Sample no. 2	Sample no. 3	Sample no. 4	Sample no. 15	Sample no. 16	Sample no. 17	Sample no. 18	Sample no. 19	Sample no. 20
<b>Description</b>				Mrs. PRIYA AGARWAL		Mrs. DAHIGAL KAMALBAI	Miss. MINALI BHUMIJ			Mr. SESHU
<b>IgG Control</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
<b>Jo-1</b>	0.53[N]	0.00[N]	1.04[N]	0.00[N]	0.00[N]	1.02[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
<b>PL-7</b>	0.53[N]	2.05[N]	1.05[N]	0.00[N]	1.06[N]	0.00[N]	0.00[N]	1.07[N]	1.63[N]	0.00[N]
<b>PL-12</b>	0.53[N]	1.03[N]	0.00[N]	0.00[N]	0.00[N]	0.51[N]	0.00[N]	2.66[N]	0.00[N]	0.00[N]
<b>PmScl</b>	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.59[N]	0.00[N]	0.00[N]	2.13[N]	1.09[N]	2.17[N]
<b>CENP-A</b>	0.00[N]	1.03[N]	0.00[N]	0.00[N]	1.05[N]	1.53[N]	0.00[N]	1.60[N]	0.00[N]	0.00[N]
<b>CENP-B</b>	0.53[N]	0.52[N]	0.00[N]	0.00[N]	0.00[N]	0.51[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
<b>Scl-70</b>	1.06[N]	1.03[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.55[N]	0.00[N]	0.00[N]	1.63[N]
<b>Ro52</b>	0.53[N]	0.52[N]	0.00[N]	0.00[N]	<b>20.44[P]</b>	2.04[N]	<b>54.29[P]</b>	<b>40.96[P]!</b>	9.51[B]	0.00[N]
<b>Ro60</b>	0.00[N]	0.00[N]	0.00[N]	0.00[N]	<b>52.76[P]</b>	1.02[N]	<b>44.07[P]</b>	<b>47.24[P]</b>	6.91[N]	0.00[N]
<b>La</b>	0.00[N]	1.55[N]	0.00[N]	0.00[N]	1.06[N]	1.02[N]	<b>54.29[P]</b>	1.60[N]	0.00[N]	0.00[N]
<b>RNP-A</b>	0.53[N]	0.00[N]	0.00[N]	0.00[N]	5.23[N]	<b>17.01[P]</b>	0.55[N]	2.13[N]	0.54[N]	0.55[N]
<b>RNP-C</b>	0.00[N]	1.03[N]	1.05[N]	0.53[N]	<b>31.69[P]</b>	<b>45.39[P]</b>	3.78[N]	<b>17.01[P]</b>	1.08[N]	2.17[N]
<b>RNP-68</b>	0.00[N]	1.03[N]	1.57[N]	0.00[N]	<b>48.44[P]</b>	<b>39.19[P]</b>	3.25[N]	<b>51.58[P]</b>	7.41[N]	2.17[N]
<b>SmB</b>	0.53[N]	0.00[N]	0.00[N]	0.00[N]	7.79[N]	7.08[N]	1.63[N]	<b>11.99[P]</b>	1.61[N]	0.00[N]
<b>SmD</b>	0.00[N]	0.52[N]	0.00[N]	0.00[N]	<b>13.38[P]</b>	<b>10.57[P]</b>	0.00[N]	4.24[N]	0.54[N]	0.00[N]
<b>P0</b>	0.00[N]	4.71[N]	4.68[N]	0.00[N]	0.00[N]	1.02[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
<b>PCNA</b>	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.53[N]	0.55[N]	0.00[N]	0.00[N]	0.00[N]
<b>dsDNA</b>	1.07[N]	0.53[N]	0.53[N]	1.05[N]	1.06[N]	0.51[N]	2.16[N]	<b>16.07[P]</b>	1.08[N]	0.00[N]
<b>Histone</b>	0.54[N]	2.10[N]	0.53[N]	0.53[N]	1.58[N]	1.03[N]	0.54[N]	2.13[N]	0.00[N]	0.00[N]
<b>Nucleosom</b>	1.60[N]	0.00[N]	2.61[N]	2.63[N]	0.53[N]	<b>22.39[P]</b>	6.39[N]	<b>17.05[P]</b>	1.08[N]	1.63[N]
<b>DFS70</b>	1.59[N]	0.53[N]	0.00[N]	0.00[N]	1.58[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
<b>M2</b>	2.13[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	2.04[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
<b>ANA</b>	Negative	Negative	Negative	Negative	Positive	Positive	Positive	Positive	Borderline	Negative

Check the assignment of bands marked **!** because of a possible interference with the strip background or unclear band interpretation

The evaluation has been accomplished without calibration of the input image