














Sawaimul Clinic
Satvik Nursing Home

डॉ. सुषमा सवाईमुल (वाघमारे)
एम.बी.बी.एस.एम.एस. (स्त्री व प्रसुतीशास्त्र)
रजी. नं. 2004/04/2127

Patients Name	Mrs. Meena Thombare	Age/Sex	31/F
Ref by	Dr.S.Sawaimul	Visit Date	12/05/2025
Patients ID		Equipment	sonoscape
LMP	14/02/2025	LMP EDD	21/11/2025
LMP GA	12 WKS 3 DAYS	US GA	12 WKS 3 DAYS

OB -First Trimester Scan Report(NT Scan)

REAL TIME B-MODE ULTRASONOGRAPHY OF GRAVID UTERUS

Single intrauterine gestation

Maternal:

Cervix measures 4.25 cm in length.

Fetus: Survey

Placenta :Anterior,Partial Previa.

Liquor:Adequate

Fetal Activity-Present

Fetal Heart Rate:176 bpm

Biometry:

CRL -59.57mm(12W 3D)

Aneupliody Markers:

Nasal Bone:Seen

Nuchal Translucency:0.76mm ,Normal

Ductus Venosus:Normal Flow

Impression:

- SINGLE LIVE INTRAUTERINE GESTATION CORRESPONDING TO GESTATIONAL AGE OF 12 WEEKS 3 DAYS.
- GESTATIONAL AGE IS ASSIGNED AS PER LMP.
- PLACENTA :ANTERIOR, PARTIAL PREVIA.
- NUCHAL TRANSLUCENCY IS WITHIN NORMAL LIMITS FOR CRL.
- NO MAJOR OBVIOUS STRUCTURAL DEFECTS ON SCAN TODAY.
- ABNORMAL UTERINE ARTERY DOPPLER-RAISED PI IN BOTH UTERINE ARTERIES.
- NASAL BONE IS PRESENT.THE DUCTUS VENOSUS DOPPLER ARE NORMAL.
- EXPECTED DATE OF DELIVERY BY ULTRASOUND: 21/11/2025 $\pm$ 10 DAYS.
- ADV: F/U FOR PRE-ECLAMPSIA.

Review at 18-20weeks for congenital anomaly scan.

I have offered the option of risk reassessment with first trimester biochemistry to the mother.

The mother understands that the NT scan or serum biochemical testing(double marker,quadruple marker tests)are indirect tests for screening of aneuploidies and the only confirmative test for aneuploidies is by invasive testing which carries a risk of miscarriage of 1in 300.

I declare that while undergoing ultrasonography/image scanning on patient ,I have neither detected nor disclosed sex of fetus to anybody in any manner.

DR. SUSHMA SAWAIMUL
M.B.B.S.,M.S.(OBGY)

डॉ. सी. सुषमा सवाईमुल
M.B.B.S., M.S.(OBGY)

रजि. नं. 2004/04/2127

Note: These Reports Are For Assisting Doctors/Physicians In Their Treatment And Not For Medical - Legal Purposes And Should Be Correlated Clinically. To Rule Out Congenital Anomalies Of Foetal Extremities A Level II Ultrasound Scan By 4d Ultrasound Machine Is Recommended. Not All The Congenital Anomalies Can Be Detected Sonographically. possibility of suspended animation could not be ruled out..

