

PRISCA 5.1.0.17

Licenced for: Sage Path Labs Pvt Ltd

Plot No. 564, First Floor, Buddanagar, Peerzadiguda, Boduppal, Hyderabad
Telangana - 500092

Result Down's syndrome screening


Name	Mrs. SUKANYA SANDEEP	Sample no	B2634242	IVF	no
	INGLE	Weight	52 kg	Smoking	no
Patient ID	0672505130168	Fetuses	1	diabetes	no
		Birthday	03-05-1993	Ethnic origin	Asian
Doctor		Age at delivery	32.5	Day of serum taking	13-05-2025
NA		Previous trisomy 21 pregnancies	unknown	Date of report:	14-05-2025

Corrected MoM's and calculated risks

AFP	28.62 ng/mL	0.98	Corr. MoM
HCG	39906 mIU/mL	0.88	Corr. MoM
uE3	0.36 ng/mL	1.19	Corr. MoM
Inh-A	246.69 IU/ml	0.92	Corr. MoM

Ultra sound data

Day of ultra sound	09-05-2025	Nuchal translucency	1.2 mm
			0.61 MoM
CRL	81.8 mm	Nasal bone	unknown
Gestational age by CRL	13 + 6	Measured by	NA
Gestation age on the day of serum taking	14 + 3	Qualifications in measuring NT	NA



Biochem. risk + NT
at term

<1:10000

Age risk
at term

1:681

TRISOMY 18 SCREENING

The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

NEURAL TUBE DEFECTS (NTD) SCREENING

The corrected MoM AFP (0.98) is located in the low risk area for neural tube defects.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).

The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

below cut off

Below Cut Off, but above Age Risk

above cut off