



Name	: Mr. DARSHAN BHALODIYA	Barcode No	: B2700701
Age /Gender	: 35 YRS/Male	Reg. No	: 0662505170083
Referring by	:	SPP Code	: SPL-PU-338
Referring Customer	:	Collected On	: 18-May-25
Primary Sample	: Whole Blood	Received On	: 18-May-25
Sample Tested In	: Serum	Reported On	: 19-May-25

Test	Result	Units	Biological Ref.ranges	Method
Total IgE :	21.4	IU/mL	Age (Year) IU/mL 0-<7 <25-440 7-<19 <25-450 (20-60) 0-160 Adult	CLIA

- Elevated Total IgE is observed in only 30% of patients with allergic rhinitis, 60% of patients with asthma and in 80 - 90% of patients with significant atopic eczema. It can also be elevated in 10 - 20% of patients with non-allergic rhinitis or non-allergic asthma, or other conditions such as allergic bronchopulmonary aspergillosis, some forms of immunodeficiency, neoplasia such as lymphoma, and parasitic disease. The measurement of Total IgE is the sum total of multiple individual allergen specific IgE levels.
- Atopic allergy implies a familial tendency to manifest conditions like Asthma, Rhinitis, Urticaria and Eczematous dermatitis either alone or in association with the presence of IgE.

ALLERGY DRUGS REPORT

Drugs	Result	Drugs	Result	Drugs	Result	Drugs	Result
Penicillium G 	0.15	Succinylcholine 	0.28	Erythromycin 	0.10	Paracetamol 	0.26
Ampicillin 	0.19	Brufen 	0.33	Amoxicillin 	0.10	Ciprofloxacin 	0.26
Analgin 	0.12	Levofloxacin 	0.14	Human Insulin 	0.20	Cephalosporin C 	0.19
Norfloxacin 	0.26	Chloroquine 	0.10	Dexamethasone 	0.09	Metamizol 	0.10
Streptomycin 	0.20	Tetracycline 	0.28	Trimethoprim 	0.18	Ofloxacin 	0.19
Cephalexin 	0.20	Aspirin 	0.26	Sulpha Sulfa Drug List 	0.28	Tetanus Toxoid 	0.15

Normal Range / Cut off for all allergens is : 0.35 U/L

Method: ELISA

False positives occur in the following scenarios:

- *You have a small amount of IgE antibody to allergen but are not truly allergic to that. You can contact the allergen and experience absolutely no reaction to it.*

Interpretation

- Substances that cause an allergic reaction are called allergens. Besides dust and pollen, other common allergens include animal dander, foods, including nuts and shellfish, and certain medicines, such as penicillin.
- Allergy symptoms can range from sneezing and a stuffy nose to a life-threatening complication called anaphylactic shock. Allergy blood tests measure the amount of IgE antibodies in the blood. A small amount of IgE antibodies is normal. A larger amount of IgE may mean you have an allergy.