

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>b2962995</b>        |                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Mr. DILIP KUMAR</b> | 07                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Director:              | <div> <div>Panel:</div> <div>HLA-B27</div> </div> <div> <div>Acquired:</div> <div>18-06-2025 13:41:00</div> </div> <div> <div>Analyzed:</div> <div>18-06-2025 14:45:00</div> </div> <div> <div>Bead Lot ID:</div> <div>1231345/139</div> </div> <div> <div>Reagent Lot ID:</div> <div>1299250:147</div> </div> <div> <div>Operator:</div> <div>J. RAVI</div> </div> <div> <div>Results:</div> <div>18062025.csv</div> </div> |
| Column#: 36 YRS/Male   |                                                                                                                                                                                                                                                                                                                                                                                                                              |

BD FACSCanto II V33896202252

BD FACSCanto v.3.0.4894.41215

HLA-B27

Total Events: 10618



Reagent Lot ID:

1299250:147

|                       |                         |
|-----------------------|-------------------------|
| Gated Events          | 1056                    |
| Preset HLA-B27 Marker | 125                     |
| Sample HLA-B27 Median | 63                      |
| 4Conclusion           | HLA-B27 Negative Sample |

### QC Messages

No quality control messages generated.

### Comments