


|                        |                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A1418195               |                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Mrs. CH LASYA</b>   | 05                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Director:              | <div> <div>Panel:</div> <div>HLA-B27</div> </div> <div> <div>Acquired:</div> <div>25-06-2025 15:19:00</div> </div> <div> <div>Analyzed:</div> <div>25-06-2025 16:05:00</div> </div> <div> <div>Bead Lot ID:</div> <div>1231345/139</div> </div> <div> <div>Reagent Lot ID:</div> <div>1299250:147</div> </div> <div> <div>Operator:</div> <div>J. RAVI</div> </div> <div> <div>Results:</div> <div>25062025.csv</div> </div> |
| Column#: 35 YRS/Female |                                                                                                                                                                                                                                                                                                                                                                                                                              |

BD FACSCanto II V33896202252

BD FACSCanto v.3.0.4894.41215

HLA-B27

Total Events: 10354



Reagent Lot ID:

1299250:147

|                       |                         |
|-----------------------|-------------------------|
| Gated Events          | 1029                    |
| Preset HLA-B27 Marker | 115                     |
| Sample HLA-B27 Median | 62                      |
| 4Conclusion           | HLA-B27 Negative Sample |

### QC Messages

No quality control messages generated.

### Comments