

|                      |                                                                                                                                                                                                                                                      |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A1861641             |                                                                                                                                                                                                                                                      |
| Mr. KASHIF KHAN      | 02                                                                                                                                                                                                                                                   |
| Director:            | <div>Panel: HLA-B27</div> <div>Acquired: 02-07-2025 14:55:00</div> <div>Analyzed: 02-07-2025 15:33:00</div> <div>Bead Lot ID: 1231345/139</div> <div>Reagent Lot ID: 1299250:147</div> <div>Operator: J. RAVI</div> <div>Results: 02072025.csv</div> |
| Column#: 19 YRS/Male |                                                                                                                                                                                                                                                      |

BD FACSCanto II V33896202252

BD FACSCanto v.3.0.4894.41215

HLA-B27

Total Events: 10700



Reagent Lot ID:

1299250:147

|                       |                         |
|-----------------------|-------------------------|
| Gated Events          | 1068                    |
| Preset HLA-B27 Marker | 130                     |
| Sample HLA-B27 Median | 71                      |
| 4Conclusion           | HLA-B27 Negative Sample |

### QC Messages

No quality control messages generated.

### Comments