


|                           |                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| a1725416                  |                                                                                                                                                                                                                                                                                                                                                           |
| <b>Mrs. MUSHARAT KHAN</b> |                                                                                                                                                                                                                                                                                                                                                           |
| 07                        |                                                                                                                                                                                                                                                                                                                                                           |
| Director:                 | <div> <div>Panel:</div> <div>Acquired:</div> <div>Analyzed:</div> <div>Bead Lot ID:</div> <div>Reagent Lot ID:</div> <div>Operator:</div> <div>Results:</div> </div> <div> <div>HLA-B27</div> <div>08-07-2025 15:10:00</div> <div>08-07-2025 15:56:00</div> <div>1231345/139</div> <div>1299250:147</div> <div>J. RAVI</div> <div>08072025.c</div> </div> |
| Column#: 42 YRS/Female    |                                                                                                                                                                                                                                                                                                                                                           |

BD FACSCanto II V33896202252

BD FACSCanto v.3.0.4894.41215

HLA-B27

Total Events: 10714



Reagent Lot ID:

1299250:147

|                       |                         |
|-----------------------|-------------------------|
| Gated Events          | 1067                    |
| Preset HLA-B27 Marker | 129                     |
| Sample HLA-B27 Median | 68                      |
| 4Conclusion           | HLA-B27 Negative Sample |

### QC Messages

No quality control messages generated.

### Comments