


Summary results

BLOT-LINE ANA

Lot: B3054871
 Performed by: RAVINDRA BABU
 Evaluation time: 7/21/2025 8:13:50 PM

Borderline area from 8.00 to 10.00

Scan image(1 - 10):



Results(1 - 10):

	Sample no. 1	Sample no. 2	Sample no. 3	Sample no. 4	Sample no. 5	Sample no. 6	Sample no. 7	Sample no. 8	Sample no. 9	Sample no. 10
Description										
IgG Control	√	√	√	√	√	√	√	√	√	√
Jo-1	0.00[N]	0.00[N]	1.20[N]	0.58[N]	0.58[N]	0.55[N]	0.55[N]	0.00[N]	0.51[N]	0.00[N]
PL-7	2.98[N]	1.21[N]	0.00[N]	0.58[N]	0.58[N]	0.55[N]	0.55[N]	0.51[N]	0.00[N]	0.00[N]
PL-12	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.58[N]	0.00[N]	0.00[N]	0.51[N]	0.00[N]	0.00[N]
PmScl	0.00[N]	0.00[N]	2.98[N]	1.16[N]	0.00[N]	0.00[N]	0.00[N]	1.03[N]	0.00[N]	1.00[N]
CENP-A	0.00[N]	0.00[N]	1.21[N]	0.00[N]	0.00[N]	1.65[N]	0.00[N]	0.52[N]	0.00[N]	0.00[N]
CENP-B	0.00[N]	0.00[N]	16.44[P]	2.31[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.50[N]
Scl-70	0.00[N]	18.95[P]	0.61[N]	1.16[N]	0.00[N]	0.00[N]	0.00[N]	1.04[N]	1.02[N]	0.00[N]
Ro52	0.00[N]	0.00[N]	0.00[N]	13.62[P]	1.15[N]	33.54[P]	24.61[P]	18.97[P]	27.65[P]	20.26[P]
Ro60	0.61[N]	0.00[N]	4.13[N]	1.75[N]	0.00[N]	0.56[N]	45.61[P]	26.64[P]	32.68[P]	22.10[P]
La	0.00[N]	0.00[N]	0.00[N]	20.58[P]	0.00[N]	1.11[N]	0.57[N]	0.00[N]	27.21[P]	0.51[N]
RNP-A	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.53[N]	21.13[P]	0.00[N]
RNP-C	0.61[N]	3.00[N]	0.61[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.53[N]	10.91[P]	0.00[N]
RNP-68	0.61[N]	1.82[N]	0.00[N]	0.00[N]	1.15[N]	0.56[N]	0.57[N]	0.53[N]	24.34[P]	0.51[N]
SmB	0.61[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.58[N]	0.00[N]	23.97[P]	0.51[N]
SmD	0.00[N]	9.06[B]!	0.00[N]	0.59[N]	1.15[N]	0.00[N]	0.58[N]	27.50[P]	1.56[N]	1.03[N]
P0	2.39[N]	3.97[N]	0.00[N]	31.39[P]	0.57[N]	0.00[N]	0.00[N]	0.00[N]	0.53[N]	0.00[N]
PCNA	0.00[N]	0.00[N]	1.80[N]	1.17[N]	1.13[N]	0.57[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]
dsDNA	1.21[N]	0.00[N]	0.60[N]	35.46[P]	0.56[N]	1.13[N]	1.74[N]	20.30[P]	1.59[N]	1.03[N]
Histone	0.61[N]	2.88[N]	0.60[N]	1.18[N]	0.00[N]	0.57[N]	1.16[N]	25.79[P]	1.07[N]	0.00[N]
Nucleosom	1.21[N]	0.00[N]	1.20[N]	1.18[N]	1.12[N]	0.57[N]	1.74[N]	28.67[P]	0.54[N]	1.04[N]
DFS70	0.00[N]	1.17[N]	0.00[N]	0.00[N]	1.13[N]	1.14[N]	0.00[N]	0.00[N]	0.54[N]	0.52[N]
M2	0.00[N]	4.59[N]	0.00[N]	0.00[N]	1.13[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.52[N]
ANA	Negative	Positive	Positive	Positive	Negative	Positive	Positive	Positive	Positive	Positive

Check the assignment of bands marked [!] because of a possible interference with the strip background or unclear band interpretation


Summary results

BLOT-LINE ANA

Lot: B3054871
 Performed by: RAVINDRA BABU
 Evaluation time: 7/21/2025 8:13:50 PM

Borderline area from 8.00 to 10.00

Scan image(11 - 20):



Results(11 - 20):

	Sample no. 11	Sample no. 12	Sample no. 13	Sample no. 14	Sample no. 15	Sample no. 16	Sample no. 17	Sample no. 18	Sample no. 19	Sample no. 20
Description									Mr. PRAMILA TRIPATHI	Mr. MUKESH KUMAR
IgG Control	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Jo-1	0.00[N]	0.56[N]	0.59[N]	1.17[N]	0.59[N]	0.00[N]	1.77[N]	0.58[N]	0.00[N]	1.21[N]
PL-7	0.00[N]	25.63[P]	0.00[N]	1.17[N]	1.17[N]	0.00[N]	1.18[N]	2.29[N]	1.57[N]	0.61[N]
PL-12	0.53[N]	0.00[N]	1.16[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.05[N]	0.00[N]
PmScl	2.11[N]	0.00[N]	1.16[N]	0.00[N]	1.17[N]	0.00[N]	0.00[N]	1.15[N]	2.65[N]	0.61[N]
CENP-A	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.17[N]	0.00[N]	0.59[N]	0.00[N]	1.07[N]	0.61[N]
CENP-B	0.00[N]	1.13[N]	1.16[N]	0.00[N]	0.00[N]	0.00[N]	1.18[N]	0.00[N]	1.07[N]	0.00[N]
Scl-70	0.53[N]	0.00[N]	0.00[N]	0.59[N]	0.59[N]	0.00[N]	0.00[N]	0.00[N]	2.68[N]	0.00[N]
Ro52	9.61[B]	0.00[N]	27.00[P]	47.07[P]	4.55[N]	0.00[N]	0.00[N]	0.00[N]	4.78[N]	0.00[N]
Ro60	16.78[P]	0.00[N]	40.46[P]	27.58[P]	1.74[N]	0.00[N]	0.00[N]	0.00[N]	2.68[N]	0.61[N]
La	15.37[P]	0.56[N]	0.58[N]	1.17[N]	0.00[N]	2.92[N]	0.59[N]	0.59[N]	0.00[N]	0.61[N]
RNP-A	14.95[P]	3.86[N]	17.95[P]	0.00[N]	4.00[N]	6.29[N]	0.59[N]	1.77[N]	0.00[N]	0.00[N]
RNP-C	11.12[P]	0.00[N]	30.67[P]	0.59[N]	28.97[P]	0.00[N]	0.00[N]	1.77[N]	0.54[N]	1.21[N]
RNP-68	13.05[P]	0.00[N]	17.95[P]	0.00[N]	5.10[N]	0.00[N]	0.00[N]	0.58[N]	0.00[N]	0.00[N]
SmB	0.53[N]	0.00[N]	39.15[P]	0.00[N]	7.28[N]	0.00[N]	0.59[N]	0.00[N]	1.60[N]	0.00[N]
SmD	0.53[N]	0.00[N]	40.61[P]	2.90[N]	9.41[B]	0.60[N]	0.00[N]	0.00[N]	0.54[N]	0.61[N]
P0	0.54[N]	0.00[N]	51.55[P]	0.00[N]	1.16[N]	0.00[N]	0.00[N]	1.17[N]	0.54[N]	0.00[N]
PCNA	0.00[N]	0.00[N]	0.58[N]	0.00[N]	0.00[N]	0.00[N]	0.00[N]	1.17[N]	0.53[N]	0.61[N]
dsDNA	1.07[N]	1.13[N]	40.75[P]	1.17[N]	8.88[B]	1.20[N]	1.17[N]	0.58[N]	0.00[N]	1.21[N]
Histone	0.00[N]	0.57[N]	33.70[P]	2.33[N]	5.10[N]	0.00[N]	0.00[N]	1.77[N]	1.06[N]	0.00[N]
Nucleosom	1.07[N]	1.69[N]	0.58[N]	1.74[N]	4.00[N]	1.20[N]	1.17[N]	2.35[N]	1.58[N]	1.20[N]
DFS70	0.00[N]	1.67[N]	0.00[N]	1.16[N]	1.74[N]	0.00[N]	0.59[N]	1.17[N]	1.58[N]	0.00[N]
M2	0.00[N]	0.56[N]	0.58[N]	0.00[N]	0.00[N]	0.60[N]	1.18[N]	1.75[N]	0.00[N]	0.60[N]
ANA	Positive	Positive	Positive	Positive	Positive	Negative	Negative	Negative	Negative	Negative