


**Test results(3)**  
**Mrs. NIKKI DEVI**  
**Patient name:**

**BLOT-LINE ANA**

**Lot:** B3678507  
**Performed by:** VIJAYA  
**Evaluation time:** 10/12/2025 12:00:46 PM

**Borderline area from 8.00 to 10.00**

**Scan image(3) - Mrs. NIKKI DEVI**



**Results(3) - Mrs. NIKKI DEVI**

| Band order | Band name       | Position (mm) | Intensity (%) | Evaluation | Antibodies found against |
|------------|-----------------|---------------|---------------|------------|--------------------------|
| 1          | IgG Control     | -4.40         | √             | √          |                          |
| 2          | Jo-1            | 2.37          | 0.00          | Negative   |                          |
| 3          | PL-7            | 4.40          | 0.00          | Negative   |                          |
| 4          | PL-12           | 6.35          | 0.00          | Negative   |                          |
| 5          | PmScl           | 9.40          | 0.00          | Negative   |                          |
| 6          | CENP-A          | 11.43         | 2.88          | Negative   |                          |
| 7          | CENP-B          | 13.38         | 0.00          | Negative   |                          |
| 8          | Scl-70          | 15.32         | 0.59          | Negative   |                          |
| 9          | Ro52            | 18.29         | 0.00          | Negative   |                          |
| 10         | Ro60            | 20.40         | 0.00          | Negative   |                          |
| 11         | La              | 22.35         | 0.00          | Negative   |                          |
| 12         | RNP-A           | 23.62         | 2.92          | Negative   |                          |
| 13         | RNP-C           | 27.35         | 0.00          | Negative   |                          |
| 14         | RNP-68          | 30.23         | 1.18          | Negative   |                          |
| 15         | SmB             | 31.67         | 4.59          | Negative   |                          |
| 16         | SmD             | 33.36         | 0.00          | Negative   |                          |
| 17         | P0              | 36.41         | 0.00          | Negative   |                          |
| 18         | PCNA            | 38.35         | 0.00          | Negative   |                          |
| 19         | dsDNA           | 40.64         | 1.18          | Negative   |                          |
| 20         | Histone         | 42.25         | 0.00          | Negative   |                          |
| 21         | Nucleosom       | 45.55         | 3.49          | Negative   |                          |
| 22         | DFS70           | 48.34         | 0.00          | Negative   |                          |
| 23         | M2              | 51.39         | 0.00          | Negative   |                          |
| <b>ANA</b> | <b>Negative</b> |               |               |            |                          |

The evaluation has been accomplished without calibration of the input image